

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
814	North Point	On point, entrance to Tobermory. 45 15 45.7 81 39 55	Iso	G	4s	10.5	..... Square skeleton tower, red and white rectangular daymark, green square in centre. 8.3	Seasonal.  <b>Chart:2274</b>
815	Lighthouse Point	On point. 45 15 27.5 81 40 21.9	F	R	.....	13.2	..... White hexagonal tower. 12.5	Seasonal.  <b>Chart:2274</b>
816	Tobermory Ferry Terminal	45 15 30.1 81 39 52.5	F	W	.....	5.5	..... White cylindrical mast. 1.5	Privately maintained. Seasonal.  <b>Chart:2274</b>
817	Otter Islands (Georgian Bay) range	On S. side of South Otter Island. 45 17 09.2 81 41 41.2	F	W	.....	10.6	14 Cylindrical mast, white trapezoidal daymark, orange vertical stripe. 6.7	Seasonal. (In place Year round.)
818		040°26' 924m from front.	F FI	W W	..... 4s	15.5 .....	14 5 Cylindrical mast, white trapezoidal daymark, orange vertical stripe. 6.2	Seasonal. (In place Year round.)  <b>Chart:2274 Edn 01/10(D09-043)</b>
819	Flowerpot Island	NE. point of island. 45 18 25.7 81 36 51.5	FI	W	10s	27.7	8 Square tower, white rectangular daymark.	Flash 1 s; eclipse 9 s. Visible from 100° through N. to 285°. Seasonal. (In place Year round.)  <b>Chart:2235 Edn 01/10(D09-044)</b>
822	Halfmoon Island	On SE. end of island. 45 26 12.1 81 27 50.4	FI	W	4s	13.1	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2235</b>
823	Wingfield Basin range	On S. side of basin. 45 14 32.7 81 17 46.9	F	R	.....	7.0	..... Cylindrical mast, white daymark, orange vertical stripe.	Seasonal.
824		167°32' 47.3m from front.	F	R	.....	9.3	..... Cylindrical mast, white daymark, orange vertical stripe.	Seasonal.  <b>Chart:2282</b>
825	Lion's Head Harbour	On wharf. 44 59 26 81 14 53.2	Iso	W	4s	8.0	..... White square tower. 8.6	Seasonal. (In place Year round.)  <b>Chart:2282</b>
826	<b>Cabot Head</b>	On cliff E. of Wingfield Basin. 45 14 42.8 81 17 31.1	FI	W	10s	24.1	15 White skeleton tower. 12.9	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2282</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
827	<i>Surprise Shoal light buoy T5</i>	<i>Off W. extremity of shoal. 45 03 31.1 81 01 44.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "T5".</i>	<i>Seasonal. (In place Year round.)</i>
							<b>Chart:2282</b>
828	Cape Croker	On the point, SE. of Cape Croker. 44 57 21.3 80 57 38.1	Iso W	4s	18.7	13 White octagonal tower, red upper portion. 15.9	Seasonal.
							<b>Chart:2282</b>
829	Colpoys Bay	On wharf. 44 46 47 81 07 22.2	F R	.....	7.1	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.4	Maintained by the Corporation of the Town of South Bruce Peninsula. Seasonal.
							<b>Chart:2282</b>
830	Warton	On end of rock pile breakwater. 44 45 00.2 81 08 07.9	Fl R	5s	9.2	7 Cylindrical mast, red and white rectangular daymark, red triangle in center. 6.7	Flash 1 s; eclipse 4s. Seasonal.
							<b>Chart:2283 Edn 12/10(D10-011)</b>
831	North Keppel Wharf	At inner end of wharf. 44 47 37 80 56 51.5	Iso G	4s	8.3	..... Cylindrical mast, red and white rectangular daymark.	Privately maintained by the Township of Georgian Bluffs. Seasonal.
							<b>Chart:2282</b>
832	Griffith Island	NE. side of island. 44 51 02 80 53 28.9	Fl W	4s	31.3	..... White cylindrical tower. 19.5	Seasonal.
							<b>Chart:2282</b>
832.5	<i>South Georgian Bay ODAS light buoy 45143</i>	<i>44 56 42 80 37 36</i>	<i>Fl(5) Y</i>	<i>20s</i>	<i>.....</i>	<i>Yellow, marked "45143".</i>	<i>Maintained by Environment Canada. Seasonal.</i>
							<b>Chart:2283</b>
834	<i>Squaw Point Shoal light buoy T9</i>	<i>W. of shoal. 44 37 01.4 80 55 07.4</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "T9".</i>	<i>Winter spar. Seasonal.</i>
							<b>Chart:2283</b>
834.6	Morrison Marina	On breakwater. 44 35 49.1 80 56 34.8	F W	.....	4.6	..... Cylindrical mast. 2.3	Privately maintained. Seasonal.
							<b>Chart:2283</b>
835	<i>Owen Sound Harbour light buoy T12</i>	<i>44 35 11.2 80 56 19.3</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>Red spar, marked "T12".</i>	<i>Seasonal. (In place Year round.)</i>
							<b>Chart:2283</b>
835.5	Owen Sound Marina	44 35 02.9 80 56 31.9	Fl R	4s	11.2	..... White cylindrical tower, red bands. 7.7	Privately maintained. Seasonal.
							<b>Chart:2283</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GEORGIAN BAY</b>									
836	Owen Sound range	E. side of Sydenham River mouth. 44 34 39.6 80 56 28	F	G	.....	15.0	.....	White and red skeleton tower, red rectangular daymark. 13.0	Visible in line of range. Seasonal.
837		195°17' 316.9m from front.	F	G	.....	24.9	.....	Skeleton tower, white daymark, orange vertical stripe. 22.8	Visible in line of range. Seasonal.
<b>Chart:2283</b>									
838	Owen Sound Pier	Outer end of W. pier. 44 34 46 80 56 29.2	Oc	R	15s	9.0	.....	Cylindrical mast, red and white rectangular daymark. 6.7	Flash 10 s; eclipse 5 s. Privately maintained by the City of Owen Sound. Seasonal.
<b>Chart:2283</b>									
839	Vail Point Shoal light buoy T7	NW. of Vail Point. 44 44 47.5 80 47 20.1	Fl	G	4s	.....	.....	Green, marked "T7".	Seasonal.
<b>Chart:2283</b>									
839.1	Meaford Firing Range Cautionary light buoy TMA	44 44 39.9 80 46 21.6	Fl	Y	4s	.....	.....	Yellow spar, marked "TMA".	Owned by the Department of National Defence. Seasonal. (In place Year round.)
<b>Chart:2283</b>									
839.11	Meaford Firing Range Cautionary light buoy TMC	44 44 39.9 80 41 49.6	Fl	Y	4s	.....	.....	Yellow spar, marked "TMC".	Owned by the Department of National Defence. Seasonal. (In place Year round.)
<b>Chart:2283</b>									
839.12	Meaford Firing Range Cautionary light buoy TME	44 44 25.3 80 37 17.2	Fl	Y	4s	.....	.....	Yellow spar, marked "TME".	Owned by the Department of National Defence. Seasonal. (In place Year round.)
<b>Chart:2283</b>									
839.13	Meaford Firing Range Cautionary light buoy TMG	44 41 11 80 35 34.8	Fl	Y	4s	.....	.....	Yellow spar, marked "TMG".	Owned by the Department of National Defence. Seasonal. (In place Year round.)
<b>Chart:2283</b>									
840	Meaford Breakwater	On W. end of N. breakwater. 44 36 42.7 80 35 19.7	Fl	G	4s	9.0	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Seasonal.
<b>Chart:2283</b>									
841	Meaford Harbour	At outer end of E. breakwall at entrance to eastern harbour. 44 36 39.5 80 35 02.1	Oc	R	4s	12.7	10	Cylindrical tower, red upper portion. 9.2	Flash 3 s; eclipse 1 s. Seasonal.
<b>Chart:2283</b>									

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
842	Thornbury Sector	44 34 00 80 27 02.2	Mo(D) R W G	10s	8.3 11	Cylindrical mast, white and red rectangular daymark.  5.1	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible over an arc of 076°; red from 164° to 202°; white from 202° to 206°; green from 206° to 240°. Seasonal.  <b>Chart:2283</b>
844	New Bank light buoy TN2	44 36 47.9 80 20 04	Fl R	4s	.....	Red spar, marked "TN2".	Seasonal. (In place Year round.)  <b>Chart:2283</b>
846	Lockerbie Rock light buoy TN11	NW. of rock. 44 32 14.6 80 13 48.6	Fl G	4s	.....	Green spar, marked "TN11".	Seasonal. (In place Year round.)  <b>Chart:2283</b>
849	Collingwood light buoy TN12	Outer approach to harbour. 44 31 11 80 13 35	Fl R	4s	.....	Red spar, marked "TN12".	Seasonal. (In place Year round.)  <b>Chart:2283</b>
852	Collingwood Harbour light buoy TN21	On E. side of channel. 44 30 50.4 80 13 31	Fl G	4s	.....	Green spar, marked "TN21".	Seasonal. (In place Year round.)  <b>Chart:2283</b>
853	Collingwood Sector	44 30 25.6 80 13 33.9	Mo(D) R W G	10s	13.1	Cylindrical tower, white daymark, orange vertical stripe.	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible over an arc of 064°; red from 148° to 179°; white from 179° to 181°; green from 181° to 212°. Seasonal.  <b>Chart:2283</b>
857	Hope Island	On NE. point of island. 44 54 56.6 80 09 52.3	Fl W	10s	17.8 10	Square skeleton tower. 15.5	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2241</b>
857.5	Christian Island	On Lighthouse Point. 44 47 11.9 80 09 21.8	Fl W	4s	20.2	White cylindrical tower. 17.5	Seasonal.  <b>Chart:2241</b>
858	Bennet Bank light buoy M3	Off SW. edge of bank. 44 52 24.5 80 01 26.9	Fl G	4s	.....	Green spar, marked "M3".	Seasonal. (In place Year round.)  <b>Chart:2241</b>
859	Giants Tomb	On S. extremity of island. 44 52 50 80 00 24.3	Fl W	4s	17.2	Skeleton tower, white rectangular daymark. 14.6	Seasonal.  <b>Chart:2241</b>
860	Sawlog Point light buoy M6	N. of point. 44 52 26.7 79 57 04.8	Fl R	4s	.....	Red spar, marked "M6".	Seasonal. (In place Year round.)  <b>Chart:2241</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
862	Pinery Point light buoy M12	E. of point. 44 50 22.7 79 53 38.3	Fl R	4s	.....	Red spar, marked "M12".	Seasonal. (In place Year round.)
							Chart:2241
863	Candlemas Shoal light buoy M13	W. of shoal. 44 49 14.9 79 52 28.2	Fl G	4s	.....	Green spar, marked "M13".	Seasonal. (In place Year round.)
							Chart:2241
864	Brébeuf Island	On N. end of island. 44 52 36 79 53 04.4	Iso W	4s	12.1	8 White tower, orange rectangular daymark. 10.9	Seasonal.
							Chart:2241
866	Port McNicoll range	E. of Elimere Point. 44 45 44.8 79 50 02.2	F G	.....	21.8	..... White skeleton tower, white rectangular daymark, red vertical stripe. 19.2	Seasonal.
867		152°37' 785m from front.	F G	.....	53.3	..... White square skeleton tower, white square daymark, red vertical stripe. 13.5	Seasonal.
							Chart:2241
870	Midland Bay Shoal light buoy M20	SE. of shoal. 44 45 57 79 52 44	Fl R	4s	.....	Red spar, marked "M20".	Seasonal. (In place Year round.)
							Chart:2221
<b>Penetang Harbour</b>							
873	Whisky Island	Penetang Harbour entrance. 44 48 57.2 79 55 18.2	Fl W	4s	8.5	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Seasonal.
							Chart:2218
874	Asylum Point	On outer end of pier. 44 48 34.2 79 55 57.8	Fl G	4s	8.7	..... Red and white horizontally striped cylindrical tower, green square daymark. 6.8	Seasonal.
							Chart:2218
875	Penetang Harbour range	On S shore of South Basin. 44 46 01.5 79 56 35.5	F R	.....	6.1	..... Cylindrical mast, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
876		186° 117.6m from front.	F R	.....	10.5	..... Cylindrical mast, white daymark, orange vertical stripe.	Visible in line of range. Seasonal.
							Chart:2218
878	Sucker Creek Point	SE. of point. 44 48 29.2 79 52 29.7	Mo(D) R	10s	8.7	..... Cylindrical mast, red and white rectangular daymark. 6.5	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Seasonal.
							Chart:2202

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
883	Flat Point light buoy MM4	Off point. 44 46 31.5 79 48 06.2	Fl R	4s	.....	Red spar, marked "MM4".	Seasonal. (In place Year round.)  Chart:2241
884	Victoria Harbour light buoy MV1	Entrance to Hog Bay. 44 45 10.5 79 47 12	Fl G	4s	.....	Green spar, marked "MV1".	Seasonal. (In place Year round.)  Chart:2223
885	Sturgeon Point light buoy MC4	E. of point. 44 46 18 79 45 18	Fl R	4s	.....	Red spar, marked "MC4".	Seasonal. (In place Year round.)  Chart:2202
886	Turning Rock, Waubashene	S. of Canary Island. 44 46 20.2 79 44 24.3	Fl W	4s	10.4	Skeleton tower, red and white rectangular daymark, red triangle in centre. 9.3	Seasonal.  Chart:2202
887	Mary Rocks	On the most eastern rock of Mary Rocks. 44 46 12.4 79 43 23.8	Fl W	4s	6.9	Cylindrical mast, red and white rectangular daymark, green square in centre. 8.0	Seasonal.  Chart:2202
<b>Waubashene</b>							
890	Waubashene range	On flat, N. of channel opposite village of Waubashene. 44 45 43.5 79 42 24	F R	.....	4.1	Cylindrical mast, white daymark, orange vertical stripe. 3.0	Seasonal.
891		092° 117.3m from front.	F R	.....	8.2	Cylindrical mast, white daymark, orange vertical stripe. 7.0	Seasonal.  Chart:2202
892	Waubashene Inner range	On pier on rock island. 44 45 37 79 42 20.3	F G	.....	3.9	Cylindrical mast, white daymark, orange vertical stripe. 2.8	Seasonal.
893		111°30' 443.5m from front.	F G	.....	9.1	Cylindrical mast, white daymark, orange vertical stripe. 7.7	Seasonal.  Chart:2202
894	Turning Rock (Honey Harbour)	On shoal, SE. of Robert Island. 44 50 55.5 79 49 32.9	Fl W	4s	5.9	Skeleton tower, white slatwork daymark.	Seasonal.  Chart:2202
895	Roberts Island light buoy MK	S. of island. 44 50 23 79 50 51	Mo(A) W	6s	.....	Red and white vertically striped spar, marked "MK".	Seasonal. (In place Year round.)  Chart:2202

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
895.5	Tonch Point light buoy MN5	S. of point. 44 51 43 79 50 57	Fl	G	4s	.....	Green spar, marked "MN5".	Seasonal. (In place Year round.)
								<b>Chart:2202</b>
896	Ardilaun Island	On E. end of island. 44 54 07.7 79 51 07.4	Fl	W	4s	7.7	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.2	Seasonal.
								<b>Chart:2202</b>
897	Minnicognashene Island range	On S. side of island. 44 53 50.2 79 54 02.4	F	R	.....	12.8	Cylindrical mast, white daymark, red vertical stripe. 7.5	Seasonal.
898		004°03' 92.3m from front.	F	R	.....	22.1	Cylindrical mast, white daymark, red vertical stripe. 7.5	Seasonal.
								<b>Chart:2241</b>
899	Kindersley Island	E. point of island. 44 54 55.7 79 54 25.7	Fl	W	4s	9.1	Cylindrical mast, red and white rectangular daymark, green square in centre. 7.1	Seasonal.
								<b>Chart:2202</b>
900	Newton Islands	On the easterly Newton Islands. 44 56 27.2 79 56 19.3	Iso	G	4s	10.1	Cylindrical mast, red and white rectangular daymark, green square in centre. 8.1	Seasonal.
								<b>Chart:2202</b>
901	Red Rock (Go Home Bay)	On summit of rock, entrance to Go Home Bay. 44 58 12.9 79 57 39.4	Fl	W	4s	9.2	Red and white cylindrical tower. 5.5	Seasonal.
								<b>Chart:2202</b>
902	Western Islands	On Double Top Island. 45 02 11.9 80 21 14.3	Fl	W	10s	22.6	White octagonal tower. 15.2	Flash 1 s; eclipse 9 s. Seasonal.
								<b>Chart:2242</b>
902.4	Spain Rock West Cardinal light buoy MC	44 59 38.7 80 05 02.3	Q(9)	W	15s	.....	Yellow, black and yellow spar, marked "MC".	Seasonal. (In place Year round.)
								<b>Chart:2241</b>
902.5	O'Donnell Point	45 05 00 80 06 00	Fl	W	5s	14.7	Red and white cylindrical tower, red triangular daymark. 12.2	Flash 1 s; eclipse 4 s. Seasonal.
								<b>Chart:2202</b>
903	Barrel Point	On point, E. side of Fryingpan Island. 45 10 12.1 80 07 57.5	Fl	W	4s	6.2	Cylindrical mast, red and white rectangular daymark, green square in centre. 3.0	Seasonal.
								<b>Chart:2202</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
904	Seguin Bank light buoy P1	S. end of bank. 45 18 41.8 80 31 28.8	Fl	G	4s	.....	Green, marked "P1".	Winter spar. Seasonal.
								Chart:2242
905	Parry Sound Approach light buoy P2	SW. of Red Rock. 45 20 44 80 25 11	Fl	R	4s	.....	Red, marked "P2".	Winter spar. Seasonal.
								Chart:2225
906	<b>Red Rock</b>	At entrance to main channel leading to Parry Sound. 45 21 36 80 24 29	Fl	W	7s	19.0	17 Red and white cylindrical tower. 18.3	Flash 0.5 s; eclipse 6.5 s. Visible 360. Seasonal.
								Chart:2225
907	Farr Rock light buoy P7	SW. of rock. 45 21 25 80 22 46	Fl	G	4s	.....	Green, marked "P7".	Seasonal.
								Chart:2225
<b>Parry Sound</b>								
908	Three Star Shoal light buoy P10	Off NE. end of shoal. 45 21 34 80 21 53	Q	R	1s	.....	Red, marked "P10".	Winter spar. Seasonal.
								Chart:2225
909	Snug Harbour range	On the westernmost Walton Island. 45 22 15 80 19 19.5	F	G	.....	11.8	..... Skeleton tower, red daymark, black vertical stripe. 7.0	Seasonal.
910		070°40' 902.9m from front.	F	G	.....	17.5	..... White square tower, red upper portion, black vertical stripe. 14.7	Seasonal.
								Chart:2225
911	Ariel Rock light buoy P12	NE. side of shoal. 45 21 17 80 20 45	Fl	R	4s	.....	Red, marked "P12".	Winter spar. Seasonal.
								Chart:2225
912	Arthur Orr Rock light buoy P13	Off S. side of rock. 45 21 06 80 20 20	Fl	G	4s	.....	Green, marked "P13".	Winter spar. Seasonal.
								Chart:2225
913	Hall Rock Shoal light buoy P16	Off E. side of shoal, E. of Hall Rock. 45 20 28 80 19 33.5	Fl	R	4s	.....	Red, marked "P16".	Winter spar. Seasonal.
								Chart:2225
914	Middle Ground light buoy P19	Middle ground between Hall Reef and Twin Rock. 45 20 26 80 19 29	Fl	G	4s	.....	Green, marked "P19".	Winter spar. Seasonal.
								Chart:2225
915	Telegram Rock light buoy P22	NE. side of rock. 45 20 06 80 18 53	Fl	R	4s	.....	Red, marked "P22".	Winter spar. Seasonal.
								Chart:2225



**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals		
<b>GEORGIAN BAY</b>									
916	Hooper Island Shoal light buoy P24	NE. of island. 45 19 47 80 18 18	Fl R	4s	.....	Red, marked "P24".	Winter spar. Seasonal.		
<b>Chart:2225</b>									
917	Jones Island range	On summit of northernmost Gordon Rocks. 45 18 55.5 80 16 57	F	W	.....	12.4	.....	Red and white tower. 11.1	Visible in line of range only. Seasonal.
918		131°47' 2683.3m from front.	F	W	.....	18.7	.....	Red and white square tower. 15.5	Visible in line of range only. Seasonal.
<b>Chart:2225</b>									
919	Borer Bank light buoy P26	N. end of bank. 45 19 40 80 16 55	Fl	R	4s	.....	Red, marked "P26".	Winter spar. Seasonal.	
<b>Chart:2225</b>									
920	Spruce Island Shoal light buoy P27	S. of shoal. 45 19 49.5 80 15 30	Fl	G	4s	.....	Green, marked "P27".	Winter spar. Seasonal.	
<b>Chart:2225</b>									
920.2	McClelland Rock light buoy P28	NE. of rock. 45 19 46.8 80 15 28.2	Fl	R	4s	.....	Red, marked "P28".	Winter spar. Seasonal.	
<b>Chart:2225</b>									
921	Carling Rock light buoy P30	Off N. edge of shoal. 45 20 05.6 80 14 10.2	Fl	R	4s	.....	Red, marked "P30".	Winter spar. Seasonal.	
<b>Chart:2224</b>									
922	Sister Island	N. side of island. 45 20 01.1 80 11 52.4	Fl	R	4s	12.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 9.4	Seasonal.
<b>Chart:2242</b>									
923	Killbear Point	On SW. extremity of point. 45 19 57.9 80 10 11.9	Fl	W	4s	14.4	.....	Red and white cylindrical tower. 10.2	Seasonal.
<b>Chart:2224</b>									
925	Alves Point	On SE. extremity of point. 45 23 25.4 80 09 39.5	Fl	W	4s	11.4	.....	Cylindrical mast, red and white rectangular daymark.	Seasonal.
<b>Chart:2224</b>									
926	Three Mile Point	On the point. 45 20 46.3 80 05 20.7	Fl	W	4s	12.9	5.	White cylindrical tower red horizontal bands 10.7	Seasonal. (In place Year round.)
<b>Chart:2224</b>									
<b>Edn 07/13(D13-010)</b>									
926.7	Busty Shoal light buoy P35	NE. of Two Mile Point. 45 20 49.2 80 03 43.9	Fl	G	4s	.....	Green spar, marked "P35".	Seasonal. (In place Year round.)	
<b>Chart:2224</b>									

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
927	McKerrel Rock light buoy P37	Off SW. side of rock. 45 20 35.9 80 03 10	Fl G	4s	.....	Green spar, marked "P37".	Seasonal. (In place Year round.)
							<b>Chart:2224</b>
928	Salt Point	On point at entrance to inner harbour. 45 20 20.5 80 02 41	Fl R	4s	10.4	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
							<b>Chart:2224</b>
929	Parry Sound Harbour control light buoy	On N. side of shoal. 45 20 05.8 80 02 06	Fl Y	4s	.....	White and orange spar, marked "Priv".	Seasonal.
							<b>Chart:2224</b>
930	Parry Sound range	On SE. shore of harbour. 45 19 45.3 80 02 10.1	F G	.....	9.7	Cylindrical mast, white daymark, orange vertical stripe. 7.5	Seasonal.
931		150°16' 111.6m from front.	F G	.....	20.0	Cylindrical mast, white daymark, orange vertical stripe. 6.8	Seasonal.
							<b>Chart:2224</b>
932	Jenkins Point	On W. extremity of point. 45 19 19.3 80 02 30.2	Fl R	4s	10.1	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 8.6	Seasonal.
							<b>Chart:2224</b>
933	Rose Point Swing Bridge	From westernmost extremity of Rose Point to Parry Island. 45 18 56 80 02 38	F G-R	.....	.....	.....	Green lights – bridge open. Red lights – bridge closed. Privately maintained. Seasonal.
							<b>Chart:2224</b>
934	Lone Rock West Cardinal light buoy MCS	Near Lone Rock. 45 09 15.4 80 13 45	Q(9) W	15s	.....	Yellow, black and yellow spar, marked "MCS".	Seasonal. (In place Year round.)
							<b>Chart:2242</b>
935	Turning Island (South Channel)	On S. point of island. 45 12 42 80 09 57.3	Fl W	4s	9.3	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.
							<b>Chart:2202</b>
936	Beauty Island	On NW. point of island. 45 13 39.5 80 09 39.5	Fl R	4s	10.2	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.
							<b>Chart:2202</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
936.5	Seven Mile Narrows	W. side of cut. 45 15 37.2 80 06 44.4	FI	G	4s	10.1	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 6.1	Seasonal.  <b>Chart:2202</b>
937	Five Mile Narrows	W. side of Milton Island. 45 16 13.5 80 05 54	FI	R	4s	6.4	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
938	McLaren Island East	E. end of island. 45 16 32.5 80 05 11	FI	G	4s	7.3	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 6.1	Seasonal.  <b>Chart:2202</b>
939	Three Mile Gap	On small island at entrance to gap. 45 17 40 80 03 30	FI	R	4s	10.4	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2202</b>
940	Galna Point	E. of point. 45 25 17.4 80 19 51	FI	W	4s	5.1	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 3.0	Seasonal.  <b>Chart:2203</b>
941	<i>Tizard Rock light buoy AA2</i>	<i>W. of rock. 45 34 05.2 80 33 17.5</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "AA2".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2203</b>
942	Pointe au Baril range	On S. extremity of point, close to water. 45 33 32.8 80 30 12.8	F	R	.....	13.1	..... White square tower.	Visible in line of range. Seasonal.
943		On Macklin Island, 104°30' 1446.6m from front.	F	R	.....	26.7	..... White skeleton tower, red stripe daymark. 28.6	Visible in line or range. Seasonal.  <b>Chart:2203</b>
945	Brignall Narrows	S. side of narrows. 45 34 39.9 80 25 27.1	FI	R	4s	9.0	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.7	Seasonal.  <b>Chart:2203</b>
946	Castor Island	On rock N. of island. 45 33 44.7 80 28 57.8	FI	R	4s	7.3	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:2203</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
947	Opechee Island	On S. point of island. 45 35 31.4 80 24 05.7	Fl	G	4s	9.5	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 7.1	Seasonal.  <b>Chart:2203</b>
948	Jergens Island	SE. point of island. 45 32 53 80 25 57.8	Fl	W	4s	8.9	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 6.8	Seasonal.  <b>Chart:2203</b>
949	Rogers Island	On shoal off island. 45 33 40.3 80 25 15	Fl	R	4s	7.4	..... Cylindrical mast, red and white rectangular daymark.	Privately maintained. Seasonal.  <b>Chart:2203</b>
950	Pavis Island	On rock NW. of island. 45 33 47.5 80 28 17	Fl	W	4s	6.7	..... Cylindrical mast, red and white rectangular daymark.	Privately maintained. Seasonal.  <b>Chart:2203</b>
951.1	<i>Puswawa Island light buoy AE4/2</i>	<i>Pointe au Baril Channel. 45 34 05.5 80 28 06.8</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "AE4/2."</i>	<i>Seasonal. (In place Year round.)  <b>Chart:2203 Edn 01/10(D09-042)</b></i>
951.5	Turning Island (Shawanaga Island)	SW. point of island. 45 31 45.5 80 24 19.9	Fl	R	4s	11.0	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.8	Seasonal.  <b>Chart:2203</b>
952	Poplar Island	On N. side of island. 45 34 21.5 80 27 00.5	Fl	R	4s	8.7	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.8	Seasonal.  <b>Chart:2203</b>
952.5	<i>Georgian Bay ODAS light buoy 45137</i>	<i>45 32 42 81 00 54</i>	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	<i>.....</i>	<i>..... Yellow, marked "45137".</i>	<i>Maintained by Environment Canada. Seasonal.  <b>Chart:2201</b></i>
953	<i>Byng Inlet light buoy HH2</i>	<i>Westward of Magnetawan Ledges. 45 43 57.8 80 44 39.8</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "HH2".</i>	<i>Seasonal. (In place Year round.)  <b>Chart:2293</b></i>
954	Gereaux Island  <b>Racon - - (G) X &amp; S Bands</b>	On S. side of entrance to Byng Inlet. 45 44 40 80 39 32.7	Oc	W	10s	15.9	..... White square tower. 15.1	Flash 7s; eclipse 3 s. Seasonal.  <b>Chart:2293</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>								
955	Burton Bank light buoy H13	45 44 39.1 80 40 43.7	Q	G	1s	.....	Green spar, marked "H13".	Seasonal. (In place Year round.)  <b>Chart:2293</b>
955.2	Burton Bank South light buoy H12	Off Magnetawan Ledges. 45 44 34.1 80 40 52.3	Fl	R	4s	.....	Red spar, marked "H12".	Seasonal. (In place Year round.)  <b>Chart:2293</b>
956	Britt Turning light buoy H19	45 45 00.1 80 39 27.1	Q	G	1s	.....	Green spar, marked "H19".	Seasonal. (In place Year round.)  <b>Chart:2293</b>
957	Byng Inlet range	Close to S. side of channel. 45 45 07.4 80 38 40.8	F	R	.....	11.6	White tower, orange vertical stripe. 10.1	Visible in and over a small arc on each side of range. Seasonal.
958		074°24' 461m from front.	F	R	.....	17.4	White skeleton tower, orange rectangular daymark. 14.4	Seasonal.  <b>Chart:2293</b>
958.4	Keystone Rock light buoy H21	Off rock. 45 45 14.3 80 38 59.5	Fl	G	4s	.....	Green spar, marked "H21".	Seasonal. (In place Year round.)  <b>Chart:2293</b>
959	Clark Islands range	S. side of E. island of Clark Islands. 45 45 51.8 80 37 50.7	F	G	.....	10.7	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Seasonal.
960		051° 187.4m from front.	F	G	.....	16.5	Skeleton tower, white daymark, orange vertical stripe. 6.1	Seasonal.  <b>Chart:2293</b>
961	Pinetree Point range	On the point. 45 46 03.3 80 36 58.6	F	R	.....	8.1	11 Cylindrical mast, white daymark, orange vertical stripe. 5.4	Seasonal. (In place Year round.)
962		076° 121.9m from front.	F	R	.....	12.9	16 Cylindrical mast, white daymark, orange vertical stripe. 5.4	Seasonal. (In place Year round.)  <b>Chart:2293 Edn 08/09</b>
963	Rabbit Island West End	45 46 03.1 80 34 30.7	Fl	W	4s	6.1	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 5.0	Seasonal.  <b>Chart:2293</b>
964	Rabbit Island East End	45 46 05.7 80 34 17.5	Fl	G	4s	7.0	..... Cylindrical mast, red and white rectangular daymark, green square in centre. 5.0	Seasonal.  <b>Chart:2293</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
965	Grondine Rock	45 54 15.1 81 08 40.1	Fl W	7.5s	14.3	..... Red and white cylindrical tower. 10.6	Flash 0.8 s; eclipse 6.7 s. Seasonal.  <b>Chart:2204</b>
<b>French River</b>							
966	Bustard Rocks	45 53 27.1 80 57 07.6	Fl W	10s	14.6	..... White tower. 11.9	Seasonal.  <b>Chart:2204</b>
968	French River Inner	On Lefroy Island, W. side of river entrance. 45 56 20.1 80 54 15.6	Fl W	4s	6.7	..... Cylindrical mast, white daymark, orange vertical stripe. 3.7	Seasonal.  <b>Chart:2204</b>
970	Wall Island	E. side of island. 45 33 36.9 81 41 06.2	Fl W	4s	12.5	..... Cylindrical mast, red and white rectangular daymark. 6.1	Visible from 192° through W. and N. to 020°. Seasonal.  <b>Chart:2235</b>
971	Lonely Island	On summit of N. bluff. 45 34 24.3 81 28 05.6	Fl W	10s	59.4	..... White octagonal tower. 13.9	Flash 0.5 s; eclipse 9.5 s. Seasonal.  <b>Chart:2235</b>
972	Lonely Island, West	On W. side of island. 45 33 39.8 81 29 08.7	Fl G	4s	8.8	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2235</b>
972.5	Gull Island	On small rock. 45 51 20.6 81 16 19.3	Fl W	4s	13.1	..... Red and white cylindrical tower. 7.9	Seasonal.  <b>Chart:2245</b>
972.8	Scarecrow Island light buoy DE2	45 53 48.2 81 23 02.3	Fl R	4s	.....	..... Red spar, marked "DE2".	Seasonal. (In place Year round.)  <b>Chart:2245</b>
973	Flat Rock	W. entrance to Collins Inlet. 45 59 00.2 81 25 34.2	Fl W	4s	10.8	..... Red and white cylindrical tower. 7.5	Seasonal.  <b>Chart:2204</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GEORGIAN BAY</b>							
974	Killarney East	On Red Rock Point, E. entrance to Killarney. 45 58 05.4 81 29 19.9	Iso W	4s	17.1	..... White square tower, red upper portion. 9.1	Seasonal.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 150°.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2204</b>
975	<i>Jackman Rock light buoy E1</i>	<i>N. of rock. 45 57 58.6 81 29 35</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "E1".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2205</b>
976	Killarney West Entrance	On small island, W. of Le Haye Point. 45 58 19.8 81 31 18.8	Fl W	4s	8.7	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2204</b>
978	Killarney Northwest	On Partridge Island. 45 59 01.3 81 31 55.6	Fl W	4s	12.3	4 White square tower, red upper portion. 8.9	Seasonal. (In place Year round.)  <b>Chart:2205 Edn 01/10(D09-45)</b>
979	<i>Ann Long Bank light buoy E11</i>	<i>N. of bank. 45 58 28.1 81 32 29.8</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i> <i>Green spar, marked "E11".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2205</b>
979.5	Sandy Cove Ledge	45 57 03.2 81 32 08.3	Fl R	4s	9.9	..... Cylindrical mast, red and white rectangular daymark. 7.9	Seasonal.  <b>Chart:2205</b>
980.2	Cash Flow Rock	45 58 02.7 81 33 55.7	Fl R	4s	5.7	..... Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Seasonal.  <b>Chart:2205</b>
981	Killarney Quarries Entrance range	On foreshore E. of quarry dock. 45 58 19.4 81 35 07	F W	.....	12.0	..... Cylindrical mast, white daymark, red vertical stripe. 6.6	Seasonal.
982		295°15' 76.2m from front.	F W	.....	27.4	..... Cylindrical mast, white daymark, red vertical stripe. 6.7	Visible in line of range. Seasonal.  <b>Chart:2205</b>