

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL - LAKE HURON</b>							
983	Campbell Rock light buoy J12	On W. side of rock, NE. of Cape Smith. 45 49 36.7 81 33 22.8	Fl R	4s	.....	Red spar, marked "J12".	Seasonal. (In place Year round.)
							<b>Chart:2245</b>
984	Cape Smith	On shore. 45 47 03.9 81 34 40.4	Fl W	4s	7.0	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
							<b>Chart:2245</b>
985	Burnt Island Bank light buoy J13	E. of bank. 45 54 17.2 81 35 21.3	Fl G	4s	.....	Green spar, marked "J13".	Seasonal. (In place Year round.)
							<b>Chart:2245</b>
987	Badgeley Island	On SE. point of Island. 45 55 42 81 36 07.6	Fl W	4s	21.9	White skeleton tower, white daymark, red vertical stripe. 15.8	Seasonal.
							<b>Chart:2245</b>
988	Centre Island Bank light buoy J16	S. of Centre Island. 45 55 09.9 81 39 20.7	Fl R	4s	.....	Red spar, marked "J16".	Seasonal. (In place Year round.)
							<b>Chart:2245</b>
989	Creak Island Shoal	On shoal SW. of island. 45 56 35 81 41 43.3	Fl W	4s	7.9	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 7.4	Seasonal.
							<b>Chart:2205</b>
989.3	Caroline Rocks light buoy EE6	W. of rocks. 46 00 08.8 81 43 13.3	Fl R	4s	.....	Red spar, marked "EE6".	Seasonal. (In place Year round.)
							<b>Chart:2245</b>
989.4	Duncan City Rock light buoy EE5	E. of rock. 46 00 14 81 43 26.6	Fl G	4s	.....	Green spar, marked "EE5".	Seasonal. (In place Year round.)
							<b>Chart:2245</b>
989.5	McGregor Point range	Entrance to bay. 46 01 12.5 81 44 39.5	F R	.....	6.4	Mast, red daymark, yellow vertical stripe in centre. 3.8	Privately maintained. Seasonal.
989.6		317°18' 96.3m from front.	F R	.....	14.4	On silo, red daymark, yellow vertical stripe in centre.	Privately maintained. Seasonal.
							<b>Chart:2245</b>
990	Heywood Island	On Wharton Point. 45 55 30.2 81 47 14.7	Fl W	4s	8.2	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
							<b>Chart:2205</b>
991	Manitowaning	On the hill in the village, Manitoulin Island. 45 44 41.4 81 48 18.5	F G	.....	24.4	White tower. 10.4	Seasonal.
							<b>Chart:2245</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL - LAKE HURON</b>							
992	Sheguiandah	On outer end of wharf. 45 53 42.6 81 54 45.6	Fl W	4s	7.0	..... Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2205</b>
994	Strawberry Island light buoy J17	Off Langevin Rock. 45 56 42 81 49 01.9	Fl G	4s	.....	..... Green spar, marked "J17".	Seasonal. (In place Year round.)  <b>Chart:2205</b>
996	Strawberry Island	Northernmost point. 45 58 24.6 81 51 15.2	Fl W	4s	14.6	..... White tower. 12.3	Seasonal.  <b>Chart:2205</b>
997	Gibbons Point range	S. of point. 45 58 04.1 81 54 23.8	F G	.....	8.9	..... Cylindrical mast, white daymark, orange vertical stripe. 4.9	Seasonal.
998		259°09' 100.7m from front.	F G	.....	15.2	..... Cylindrical mast, white daymark, orange vertical stripe. 6.5	Seasonal.  <b>Chart:2207</b>
999	Long Point light buoy J24	N. of point. 45 58 12.6 81 53 34.9	Q R	1s	.....	..... Red spar, marked "J24".	Seasonal. (In place Year round.)  <b>Chart:2207</b>
1000	Gibbons Point Turning light buoy J31	NW. of point. 45 58 40.1 81 54 17.8	Q G	1s	.....	..... Green spar, marked "J31".	Seasonal. (In place Year round.)  <b>Chart:2207</b>
1001	Goat Island range	On S. side of Goat Island, E. of Mallard Cove. 45 58 51.3 81 54 24.1	F R	.....	7.3	..... Cylindrical mast, white daymark, orange vertical stripe. 6.2	Seasonal.
1002		319° 253.3m from front.	F R	.....	11.4	..... Cylindrical mast, white daymark, orange vertical stripe. 7.9	Seasonal.  <b>Chart:2207</b>
1003	Little Current Swing Bridge	Between Goat Island and Manitoulin Island, E. of Little Current. 45 58 48.9 81 54 50.5	F W R G	.....	.....	.....	(Private - Railway). Seasonal.  <b>Chart:2207</b>
1005	Magazine Point light buoy J44	45 58 57.5 81 55 30.2	Fl R	4s	.....	..... Red, marked "J44".	Winter spar. Seasonal.  <b>Chart:2207</b>
1007	Picnic Island light buoy J56	N. of island. 45 59 33.5 81 56 44.6	Fl R	4s	.....	..... Red spar, marked "J56".	Seasonal. (In place Year round.)  <b>Chart:2207</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL - LAKE HURON</b>							
1008	Picnic Island	On NW. point of island. 45 59 28.2 81 56 51.7	Fl G 4s	9.0	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.9	Seasonal.  <b>Chart:2207</b>
1009	Narrow Island	On NW. side of island. 45 59 27.6 81 58 42.4	Fl W 4s	14.7	.....	Skeleton tower, white slatwork daymarks on 3 sides of tower. 10.3	Seasonal.  <b>Chart:2207</b>
1009.5	Whitefish River	At river entrance on small island. 46 06 28.1 81 44 01	Fl W 4s	7.3	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.1	Seasonal.  <b>Chart:2207</b>
1010	<i>James Foote Patch light buoy J66</i>	<i>On SW. edge of patch.</i> 45 58 55.3 82 05 00.7	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "J66".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>  <b>Chart:2207</b>
1012	Cartwright Point	On NE. extremity of point. 46 03 01 82 12 25.9	Fl W 4s	9.4	.....	Cylindrical mast, red and white rectangular daymark. 7.5	Seasonal.  <b>Chart:2257</b>
1013	Little Detroit	On NE. point of Aird Island. 46 08 57 82 22 32	Fl W 4s	13.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.6	Seasonal.  <b>Chart:2268</b>
1013.3	<i>Spanish River light buoy UV2</i>	<i>At river entrance.</i> 46 10 50.5 082 22 28.5	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "UV2".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>  <b>Chart:2268</b> <b>Edn 01/16 (D15-008)</b>
1014	<i>Robertson Rock light buoy J72</i>	<i>Off rock.</i> 46 03 27.2 82 13 28.6	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "J72".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>  <b>Chart:2257</b>
1015	Clapperton Island	At N. point of island. 46 03 17.1 82 14 14.7	Fl W 4s	15.2	.....	Square skeleton tower, white slatwork daymarks on 3 sides of tower. 10.5	Seasonal.  <b>Chart:2257</b>
1015.5	<i>Middle Bank light buoy JD14</i>	<i>SW. of bank.</i> 45 59 42.1 82 19 02.7	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "JD14".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>  <b>Chart:2257</b>
1017	Meredith Rock	S. of Clapperton Island. 45 58 57.3 82 14 24.9	Fl R 4s	6.7	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2257</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>NORTH CHANNEL - LAKE HURON</b>								
1018	Gooseberry Island	On NE. point of island, E. side of entrance to Mudge Bay. 45 57 02.8 82 13 58.4	FI W 4s	9.1	.....	Cylindrical mast red and white rectangular daymark. 7.2	Seasonal.  <b>Chart:2257</b>	
1019	Kagawong	W. of wharf. 45 54 35.4 82 15 37.4	F R	.....	13.4	.....	White tower. 9.4 Seasonal.  <b>Chart:2257</b>	
1020	Boyd Island	On island. 46 07 28 82 20 13	FI W 4s	14.8	.....	Skeleton tower, 3 red and white horizontally striped square daymarks on SW side of tower. 10.4	Seasonal.  <b>Chart:2268</b>	
1021	<i>Innes Island light buoy J74</i>	<i>S. of island. 46 02 07.1 82 21 10.7</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "J74".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2257</b>	
1023	Gore Bay	On Janet Head. 45 56 45 82 28 48.6	Oc W 5s	15.0	6	White square tower, red upper portion. 10.6	Flash 3 s; eclipse 2 s. Seasonal. (In place Year round.)  <b>Chart:2257 Edn 01/10(D09-046)</b>	
1025.7	<i>North Channel ODAS light buoy 45154</i>	<i>North Channel, E. end. 46 03 00 82 38 12</i>	<i>F(5) Y</i>	<i>20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "45154".</i> <i>Maintained by Environment Canada. Seasonal.</i>  <b>Chart:2259</b>	
1026	Cape Robert	Near northern extremity of the cape. 45 59 48 82 48 37	FI W 4s	16.2	.....	Skeleton tower, white slatwork daymarks on 3 sides of tower. 9.1	Seasonal.  <b>Chart:2259</b>	
1027	Mills Island	46 07 49.9 82 41 45.9	FI W 4s	12.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Seasonal.  <b>Chart:2259</b>	
1028	Whitcher Island range	46 08 26.6 82 41 33.9	F R	.....	14.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.
1028.5		030°23' 118.5m from front.	F R	.....	18.3	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.  <b>Chart:2259</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL - LAKE HURON</b>							
1029	Decelles Island range	46 07 58 82 40 53	F G	.....	7.7	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.
1029.5		122°56' 115.6m from front.	F G	.....	10.0	Cylindrical mast, white daymark, orange vertical stripe. 7.2	Seasonal.
<b>Blind River</b>							
1031	Blind River light buoy UP9	46 10 51 82 57 29	Fl G	4s	.....	Green spar, marked "UP9".	Seasonal. (In place Year round.)
<b>Chart:2259</b>							
1032	Comb Point	On point. 46 10 23 82 58 02	Iso W	4s	9.1	Cylindrical mast, red and white rectangular daymark. 7.2	Seasonal.
<b>Chart:2268</b>							
1033	Mississagi Island	On S. end of island. 46 06 27.3 83 00 26.8	Fl W	4s	20.9	White skeleton tower, red and white rectangular daymark.	Obscured from 139° through S. to 209°. Seasonal.
<b>Chart:2259</b>							
1034	Batture Island	Near NW. point of island, E. side of entrance Meldrum Bay. 45 58 13 83 04 15	Fl W	4s	7.6	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
<b>Chart:2251</b>							
1037	Cockburn Island Breakwater	On outer end of breakwater. 45 57 35 83 18 58	Fl R	4s	6.4	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.
<b>Chart:2251</b>							
1037.4	Monk Point	On point. 45 59 09 83 24 36	Fl R	4s	8.5	Cylindrical mast, red and white rectangular daymark. 6.1	Visible from 050° through E. and S. to 253°. Seasonal.
<b>Chart:2251</b>							
1038	Sulphur Island	S. end of island. 46 08 41 83 36 28	Fl W	4s	18.0	Skeleton tower, 4 red and white horizontally striped square daymarks on E. and W. side of tower. 12.2	Seasonal.
<b>Chart:2251</b>							
1039	Perrique Island light buoy KE2	S. of island. 46 08 02 83 45 49	Fl R	4s	.....	Red spar, marked "KE2".	Seasonal. (In place Year round.)
<b>Chart:2251</b>							
1041	Koshkawong Point	On point. 46 07 45 83 48 46	Fl R	4s	8.5	Cylindrical mast, 2 red and white rectangular daymarks placed in a V shape, red triangle in centre of each. 6.1	Seasonal.
<b>Chart:2251</b>							