

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE ONTARIO</b>							
<b>Kingston Harbour</b>							
403.4	Kingston Ferry Terminal	NE. corner of wharf. 44 13 56.1 76 28 33.2	F Y	.....	8.9 8	Cylindrical mast. 6.9	Privately maintained by Ministry of Transportation - Kingston. Year round.  <b>Chart:2017</b>
405.5	Kingston Harbour Breakwater	On extreme NE. end of breakwater. 44 13 45.5 76 28 40.2	Fl G	4s	6.5 3	White mast. 4.9	Seasonal.  <b>Chart:2017</b>
405.6	<i>Point Frederick Shoal lighted spar buoy KH2</i>	44 13 25 76 28 17.5	<i>Fl R</i>	<i>4s</i>	.....	<i>Red spar, marked "KH2".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
405.8	Confederation Marina	44 13 34.7 76 28 37.7	Iso G	4s	8.5 8	White cylindrical tower, green upper portion. 5.2	Year round.  <b>Chart:2017</b>
406.1	Kingston Yacht Club East	44 13 20.8 76 29 08.8	F R	.....	11.9	Cylindrical mast. 9.8	Privately maintained. Seasonal.  <b>Chart:2017</b>
406.2	Kingston Yacht Club Centre East	44 13 20.3 76 29 09.4	F R	.....	9.3	Cylindrical mast. 7.0	Privately maintained. Seasonal.  <b>Chart:2017</b>
406.3	Kingston Yacht Club Centre West	44 13 20.1 76 29 10.6	F R	.....	9.0	Cylindrical mast. 6.8	Privately maintained. Seasonal.  <b>Chart:2017</b>
406.4	Kingston Yacht Club West	44 13 20.2 76 29 11.8	F R	.....	8.8	Cylindrical mast. 6.8	Privately maintained. Seasonal.  <b>Chart:2017</b>
407	<i>Myles Shoal lighted spar buoy K1</i>	<i>N. side of shoal. 44 12 50 76 29 12.8</i>	<i>Fl G</i>	<i>4s</i>	.....	<i>Green spar, marked "K1".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
407.5	Kingston Public Wharf	44 13 14.3 76 30 06.7	F R	.....	6.2	Black cylindrical mast.	Privately maintained by the Kingston Public Utilities. Year round.  <b>Chart:2017</b>
409	<i>Penitentiary Shoal lighted spar buoy K3</i>	<i>N. side of shoal. 44 12 39.5 76 30 39.5</i>	<i>Fl G</i>	<i>4s</i>	.....	<i>Green spar, marked "K3".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
410	Portsmouth Wharf	44 13 00.4 76 30 53.9	Fl G	4s	8.9 7	White cylindrical mast, green upper portion. 6.2	Seasonal.  <b>Chart:2017</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE ONTARIO</b>							
411	Catarauqui Bay South Breakwater	On E. end of southerly breakwater. 44 12 46.2 76 32 10	FI G	4s	2.5	..... Skeleton mast.	Privately maintained. Year round.  <b>Chart:2017</b>
411.5	Catarauqui Bay Inside Breakwater	On S. end of inside breakwater. 44 12 53.6 76 32 14.8	FI R	4s	3.8	..... Cylindrical mast.	Privately maintained. Year round.  <b>Chart:2017</b>
412	Carruthers Point Sector	On point. 44 12 29.7 76 32 58.5	F R W G	.....	7.4	10.1 White cylindrical tower, orange triangular daymark. 8.8	Green from 041° to 045°15'; white from 045°15' to 046°45'; red from 046°45' to 051°. White sector indicates preferred channel. Seasonal.  <b>Chart:2017</b>
415	<i>Snake Island lighted spar buoy K5</i>	<i>NW. of island. 44 11 58 76 32 51</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green spar, marked "K5".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
416	<i>Salmon Island South Shoal lighted spar buoy K8</i>	<i>44 11 20 76 35 01</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "K8".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
417	<i>Melville Shoal Southwest lighted spar buoy K9</i>	<i>44 10 11.2 76 35 51.8</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green spar, marked "K9".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
418	<i>Salmon Island lighted spar buoy KN3</i>	<i>NE. end of island. 44 12 02.3 76 35 25.2</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green spar, marked "KN3".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2017</b>
419 H2864	Nine Mile Point	SW. point, Simcoe Island. 44 09 05.7 76 33 21.2	LFI W	10s	15.1	13 White cylindrical tower, red upper portion. 14.6	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:2017</b>
420	<i>Emeric Point lighted spar buoy K10</i>	<i>SE. of point. 44 06 02.5 76 38 53.5</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "K10".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
421	Pigeon Island	SW. of Wolfe Island. 44 03 59.4 76 32 59.3	FI W	4s	21.1	6 White square skeleton tower, red upper portion. 20.4	Seasonal.  <b>Chart:2017</b>
422	<i>South Charity Shoal lighted spar buoy M6</i>	<i>Off SW. extremity of shoal. 44 01 15.2 76 30 48.9</i>	<i>FI R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red spar, marked "M6".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2064</b>
422.5	<i>South Charity Shoal lighted spar buoy M7</i>	<i>S. of Pigeon Island. 43 59 02 76 32 28.9</i>	<i>FI G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green spar, marked "M7".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2064</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE ONTARIO</b>								
423	<i>The Ducks lighted spar buoy MM2</i>	<i>SE. of Main Duck Island.</i> 43 54 33.2 76 35 41	Fl	R	4s	.....	<i>Red spar, marked "MM2".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
424	Main Duck Island	On W. extremity of island. 43 55 52.1 76 38 18.4	Fl	W	6 s	23.6	11 White octagonal tower, red upper portion. 24.8	Flash 1.5 s; eclipse 4.5 s. Seasonal.
<b>Chart:2064</b>								
424.1	Main Duck Island (Schoolhouse Bay) range	43 55 26.6 76 36 58.7	Iso	W	2s	6.6	5 White skeleton tower, orange daymark, black vertical stripe. 5.6	Visible in line of range. Seasonal.
424.2		232°06' 111.5m from front.	F	W	.....	8.6	5 White skeleton tower, orange daymark, black vertical stripe. 7.2	Visible in line of range. Seasonal.
<b>Chart:2064</b>								
425	<i>Main Duck Island lighted spar buoy M9</i>	<i>W. of island.</i> 43 55 01.2 76 40 31	Fl	G	4s	.....	<i>Green spar, marked "M9".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
426	<i>Psyche Shoal lighted spar buoy M10</i>	<i>On S. side of shoal.</i> 43 55 18.2 76 43 06	Fl	R	4s	.....	<i>Red spar, marked "M10".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
426.5	<i>William Shoal lighted spar buoy K11</i>	<i>SW. corner of shoal.</i> 43 55 29.2 76 47 46	Fl	G	4s	.....	<i>Green spar, marked "K11".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
427	False Ducks	E. point of Swetman Island. 43 56 52.3 76 47 55	Fl	R	4s	21.8	8 Hexagonal tower, red and white horizontal bands. 19.0	Seasonal.
<b>Chart:2064</b>								
427.3	<i>False Ducks Bank lighted spar buoy K12</i>	<i>SE. edge of bank.</i> 43 56 02 76 48 38	Fl	R	4s	.....	<i>Red spar, marked "K12".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
428	<i>Traverse Shoal lighted spar buoy K14</i>	<i>S. of shoal.</i> 43 54 14.2 76 50 47	Fl	R	4s	.....	<i>Red spar, marked "K14".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
<b>Chart:2064</b>								
429	Prince Edward Point	On point. 43 56 14.1 76 51 32.5	Iso	W	2s	14.4	5 White skeleton tower. 13.0	Seasonal.
<b>Chart:2064</b>								
429.7	Collins Bay - Public Dock	On end of dock 44 14 19.5 76 36 45	Fl	Y	4s	.....	.....	Privately maintained.
<b>Chart:2017</b> <b>Edn 06/13(B13-011)</b>								

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>North Channel</b>									
430	Brother Islands	N. side of island. 44 12 26.2 76 37 47.1	FI	G	4s	19.2	4	White skeleton tower, white triangular daymark. 17.2	Seasonal.  <b>Chart:2017</b>
430.2	Brother Islands West	NE. corner of westerly island. 44 12 27.6 76 38 16	Q	G	1s	6.3	3	White cylindrical tower, green upper portion. 5.2	Seasonal.  <b>Chart:2018</b>
431	Nicholsons Point	On point. 44 12 22 76 41 07.1	FI	R	4s	10.9	5	White cylindrical tower, red upper portion. 9.7	Seasonal.  <b>Chart:2018</b>
432	Millhaven East	44 12 14 76 42 31.4	FI	W	4s	5.9	.....	Mast.	Privately maintained. Seasonal.  <b>Chart:2018</b>
432.5	Millhaven Ferry Dock	Ferry for Amherst Island. 44 11 33.7 76 44 26.9	F	R	.....	.....	.....	.....	Privately maintained. Seasonal. (In place Year round.)  <b>Chart:2018</b> <b>Edn 01/10(B09-123)</b>
434.5	<i>Bath Point lighted spar buoy KN8</i>	<i>S. of point. 44 10 39.2 76 46 05.8</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "KN8".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
435	<i>Upper Gap South Entrance lighted spar buoy KM2</i>	<i>44 04 12 76 47 24</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "KM2".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
436	<i>Bluff Point lighted spar buoy KM4</i>	<i>S. of point. 44 06 40 76 48 22</i>	<i>FI</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "KM4".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
437	<i>Upper Gap lighted spar buoy KM5</i>	<i>44 07 12 76 48 56</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "KM5".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2018</b>
438	Pig Point	W. end of Amherst Island. 44 07 40.9 76 48 44.5	FI	R	4s	10.5	6	White cylindrical tower, red upper portion. 8.7	Seasonal.  <b>Chart:2018</b>
<b>Bay of Quinte</b>									
440	Adolphus Reach	N. shore of reach. 44 03 49.5 76 58 09.6	FI	R	4s	10.2	10	White cylindrical tower, red upper portion. 8.6	Seasonal.  <b>Chart:2006</b>
441	<i>Keith Shoal lighted spar buoy Q1</i>	<i>NE. side of shoal. 44 02 42 76 59 38.5</i>	<i>FI</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "Q1".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
			Characteristics					
441.1	Youngs Point Ferry Dock	On the breakwater entrance to dock. 44 02 51.4 77 03 03.9	F	Y	.....	.....	Cylindrical mast.	Privately maintained. Seasonal. (In place Year round.)  <b>Chart:2006</b> <b>Edn 01/10(B09-122)</b>
441.2	Glenora Ferry Dock	On the breakwater entrance to dock. 44 02 30.9 77 03 31.7	Fl	Y	3s	.....	Cylindrical mast.	Flash 1 s; eclipse 2 s. Privately maintained. Seasonal. (In place Year round.)  <b>Chart:2006</b> <b>Edn 01/10(B09-121)</b>
443	<i>Glenora lighted spar buoy Q3</i>	<i>NW. of Glenora. 44 02 43.2 77 04 03.5</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "Q3".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
444	<i>Trumpour Point lighted spar buoy Q</i>	<i>W. of point. 44 04 00 77 05 30</i>	<i>Mo(A)</i>	<i>W</i>	<i>6s</i>	<i>.....</i>	<i>Red and white vertically striped spar, marked "Q".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
447	<i>Picton Outer lighted spar buoy QP5</i>	<i>E. side of channel. 44 01 08.7 77 07 47</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "QP5".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
448	<i>Picton Inner lighted spar buoy QP8</i>	<i>W. side of channel. 44 01 01 77 07 50.3</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>Red spar, marked "QP8".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
448.5	<i>Picton lighted spar buoy QP9</i>	<i>44 00 57.2 77 07 50</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "QP9".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
448.6	<i>Picton Harbour lighted spar buoy QP13</i>	<i>44 00 47.3 77 08 01.7</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "QP13".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
449	<i>Catalaque Shoal lighted spar buoy Q11</i>	<i>Off shoal. 44 09 13.8 77 03 31.2</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "Q11".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
450	Shermans Point	On point. 44 06 21 77 04 04.2	Fl	R	4s	8.5 4	White cylindrical tower, red upper portion. 7.4	Seasonal.  <b>Chart:2006</b>
451	<i>Foresters Island lighted spar buoy Q13</i>	<i>Off E. point of island. 44 10 41.5 77 03 05.5</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "Q13".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>
452	<i>Foresters Island lighted spar buoy Q17</i>	<i>N. of island. 44 11 05 77 03 25.5</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>Green spar, marked "Q17".</i>	<i>Seasonal. (In place Year round.)</i>  <b>Chart:2006</b>

**Telegraph Narrows**

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
457	East Entrance lighted spar buoy Q22	N. side of E. entrance. 44 09 58.2 77 06 11.5	Fl R	4s	.....	Red spar, marked "Q22".	Seasonal. (In place Year round.)  <b>Chart:2069</b>
459	Telegraph Island	On pier N. side of island. 44 09 47.8 77 07 19.2	Fl W	4s	9.7	5 White cylindrical tower, green upper portion. 8.7	Seasonal.  <b>Chart:2069</b>
462	West Entrance lighted spar buoy Q40	W. end of Telegraph Narrows. 44 09 48.2 77 07 35	Fl R	4s	.....	Red spar, marked "Q40".	Seasonal. (In place Year round.)  <b>Chart:2069</b>
<b>Bay of Quinte</b>							
462.5	Sucker Creek lighted spar buoy Q42	S. entrance to creek. 44 09 28.2 77 08 31	Fl R	4s	.....	Red spar, marked "Q42".	Seasonal. (In place Year round.)  <b>Chart:2007</b>
463	North Port Shoal lighted spar buoy Q43	On N. edge of shoal. 44 08 57.3 77 11 39.5	Fl G	4s	.....	Green spar, marked "Q43".	Seasonal. (In place Year round.)  <b>Chart:2007</b>
464	Trident Point lighted spar buoy Q46	44 08 53 77 13 36	Fl R	4s	.....	Red spar, marked "Q46".	Seasonal. (In place Year round.)  <b>Chart:2007</b>
465.3	Big Island (Baycrest Marina)	On outer end of wharf. 44 08 05 77 13 52.6	Al R-G	.....	3.0	..... Mast.	Privately maintained. Seasonal.  <b>Chart:2007</b>
467	Minnie Blakely Shoal lighted spar buoy Q52	S. of shoal. 44 08 59 77 17 54	Fl R	4s	.....	Red spar, marked "Q52".	Seasonal. (In place Year round.)  <b>Chart:2007</b>
468	Massasauga Point lighted spar buoy Q53	Off Rush Bar, W. of point. 44 08 57.4 77 19 13	Fl G	4s	.....	Green spar, marked "Q53".	Seasonal. (In place Year round.)  <b>Chart:2007</b>
469	Belleville Harbour lighted spar buoy Q54	E. side of entrance to Belleville wharf. 44 08 57.9 77 22 22	Fl R	4s	.....	Red spar, marked "Q54".	Seasonal. (In place Year round.)  <b>Chart:2011</b>
470	Belleville	44 09 11.6 77 22 32.2	Iso G	2s	9.0	6 White cylindrical tower, green upper portion. 7.0	Seasonal.  <b>Chart:2011</b>
470.1	Norris Whitney Bridge North	44 08 53.7 77 23 13.7	F R	.....	.....	..... On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.  <b>Chart:2011</b>

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N.	Longitude W.						
470.12	Norris Whitney Bridge South	44 08 52.2 77 23 13.2		F	G	.....	.....	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.  <b>Chart:2011</b>
470.13	Norris Whitney Bridge Northwest	44 08 53.6 77 23 14.3		F	R	.....	.....	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.  <b>Chart:2011</b>
470.14	Norris Whitney Bridge Southwest	44 08 52.1 77 23 13.8		F	G	.....	.....	On bridge.	Maintained by the Ontario Ministry of Transportation and Communications. Year round.  <b>Chart:2011</b>
470.2	Belleville Yacht Club East Breakwater	44 09 23.2 77 23 02.8		Fl	R	4s	.....	Mast, red and white triangular daymark.	Maintained by Morch Marine. Seasonal.  <b>Chart:2011</b>
470.4	Belleville Yacht Club East Breakwater North	44 09 24.6 77 23 01.2		Fl	Y	4s	.....	Mast.	Maintained by Morch Marine. Seasonal.  <b>Chart:2011</b>
470.6	Belleville Yacht Club West Breakwater North	44 09 24.2 77 23 04.7		Fl	G	4s	.....	Mast, green, white and black square daymark.	Maintained by Morch Marine. Seasonal.  <b>Chart:2011</b>
470.8	Belleville Yacht Club West Breakwater	44 09 22.9 77 23 06.5		Fl	Y	4s	.....	Mast.	Maintained by Morch Marine. Seasonal.  <b>Chart:2011</b>
471	Anderson Shoal lighted spar buoy Q57	44 07 44 77 25 29.5		Fl	G	4s	.....	Green spar, marked "Q57".	Seasonal. (In place Year round.)  <b>Chart:2069</b>
471.8	Narrows Shoal East I lighted spar buoy Q59	E. end of narrows. 44 06 39.3 77 29 28		Fl	G	4s	.....	Green spar, marked "Q59".	Seasonal. (In place Year round.)  <b>Chart:2069</b>
472	Narrows Shoal	On N. side of channel. 44 06 31.4 77 29 55.6		Fl	R	4s	9.6	3 White cylindrical tower, red upper portion. 7.9	Seasonal.  <b>Chart:2069</b>
473	Narrows Shoal lighted spar buoy Q61	W. end of approach to narrows. 44 06 24.9 77 30 06.8		Fl	G	4s	.....	Green spar, marked "Q61".	Seasonal. (In place Year round.)  <b>Chart:2069</b>
473.5	Trenton	44 06 16.2 77 31 29.1		Fl	G	4s	2.4	..... Black mast.	Maintained by the Department of National Defence at Trenton. Seasonal.  <b>Chart:2069</b>
474	Trenton East Bifurcation lighted spar buoy QTB	44 05 53.7 77 30 54.1		Fl (2+1)	G	6s	.....	..... Green, red and green spar, marked "QTB".	Seasonal. (In place Year round.)  <b>Chart:2069</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N.	Longitude W.	Flashes	Color	Period				
475	Onderdonk Point lighted spar buoy QT16	W. of the point. 44 04 48.7 77 32 29.1	Fl	R	4s	.....	.....	Red spar, marked "QT16".	Seasonal. (In place Year round.)	Chart:2069
476	Trenton Approach lighted spar buoy Q72	44 05 36.2 77 32 49.6	Fl	R	4s	.....	.....	Red spar, marked "Q72".	Seasonal. (In place Year round.)	Chart:2069
477	Trenton lighted spar buoy Q74	44 05 40.7 77 33 30.6	Fl	R	4s	.....	.....	Red spar, marked "Q74".	Seasonal. (In place Year round.)	Chart:2069
479	Trent River Entrance North Cardinal lighted spar buoy QT	44 05 43.2 77 34 03.1	Q	W	1s	.....	.....	Black and yellow spar, marked "QT".	Seasonal (In place Year round.)	Chart:2069
486	Brighton 3	W. of canal piers. 44 01 27.9 77 42 07.7	Fl	R	4s	9.9	4	White cylindrical tower, red upper portion. 7.3	Seasonal.	Chart:2059
487	Brighton range	No. 2, SE. of Brighton. 44 01 07.2 77 43 16.1	Iso	W	2s	9.4	5	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.2	Seasonal.	
488		295°04' 797.7m from front.	F	R	.....	20.9	7	White skeleton tower, orange triangular daymark, black vertical stripe. 18.0	Visible in line of range. Seasonal.	Chart:2059
489	Salt Reef	W. of reef. 44 00 19 77 40 58.4	Fl	R	4s	9.4	4	White cylindrical tower, red upper portion. 7.7	Seasonal.	Chart:2059
489.5	Prince Edward Point ODAS light buoy	43 47 26.9 76 52 25.3	Fl(5)	Y	20s	.....	.....	Yellow marked "45135".	Seasonal.	Chart:2060 Edn 12/13
490	Point Petre	E. of point. 43 50 22.1 77 09 10.1	LFl	W	10s	21.7	11	White cylindrical tower, red horizontal bands. 19.3	Flash 2 s; eclipse 8 s. Seasonal.	Chart:2060
490.5	Wellington West Breakwater	43 56 50.7 77 20 18.2	Fl	G	4s	8.7	3	White cylindrical tower, green upper portion. 6.1	Seasonal.	Chart:2060
491	Scotch Bonnet Island	On small island, SW. of Nicholson Island. 43 53 58.2 77 32 32.8	Fl	W	4s	22.9	4	White skeleton tower. 19.1	Seasonal.	Chart:2059



**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
491.8	Presqu'île Point lighted spar buoy P	E. of point. 43 59 57.2 77 39 47.1	Mo(A) W	6s	.....	Red and white vertical striped spar, marked "P".	Year round. (Seasonally maintained.)  <b>Chart:2021 Edn 01/10(B09-024)</b>
492	Presqu'île Point	E. point of peninsula. 43 59 52.2 77 40 32	F R	.....	23.5 11	White octagonal tower, red upper portion. 20.7	Seasonal.  <b>Chart:2059</b>
492.2	Proctor Point	S. end of island. 43 58 20.9 77 44 45.1	Fl R	4s	12.1 4	White cylindrical tower, red upper portion. 9.4	Seasonal.  <b>Chart:2059</b>
492.4	Ogden Point	Off Colborne. 43 58 28.9 77 52 31.7	Fl R	5s	18.2	Mast. 9.2	Flash 1 s; eclipse 4 s. Privately maintained. Year round.  <b>Chart:2059</b>
492.6	Wicklow Beach	43 58 27.6 77 57 30.7	F Y	.....	6.9	Square mast. 4.0	Privately maintained. Seasonal.  <b>Chart:2059</b>
<b>Cobourg</b>							
493	Cobourg East Pierhead	On outer end of E. pier. 43 57 08.5 78 09 52.6	Iso R	2s	15.0 5	White tower, red upper portion. 12.2	Maintained by the Town of Cobourg. Seasonal.  <b>Chart:2059</b>
494	Cobourg West Pierhead	On E. extremity of breakwater. 43 57 06.4 78 09 53.5	Fl G	4s	8.8 3	White cylindrical tower, green upper portion. 3.7	Maintained by the Town of Cobourg. Seasonal.  <b>Chart:2059</b>
496.5	Cobourg Harbour "T" Pier	43 57 21.8 78 09 55.2	Fl W	4s	5.5	White cylindrical tower, red upper portion. 3.7	Maintained by the Town of Cobourg. Seasonal.  <b>Chart:2054</b>
497.5	Peter Rock South Cardinal lighted spar buoy MN	43 56 05.3 78 13 48.9	Q(6) +LFI	W	15s	.....	Yellow and black spar, marked "MN".  Year round. (Seasonally maintained.)  <b>Chart:2058 Edn 01/10(B09-025)</b>
498	Port Hope	On S. end of E. breakwater. 43 56 25 78 17 25.9	Fl R	4s	8.5 4	White cylindrical tower, red upper portion. 7.2	Privately maintained. Seasonal.  <b>Chart:2053 Edn 09/14(B14-013)</b>
499	Port Hope West Pier light	On outer end of W. breakwater. 43 56 24.2 78 17 28.5	Fl G	4s	8.8 5	White cylindrical tower, green upper portion. 6.1	Privately maintained. Seasonal.  <b>Chart:2053 Edn 09/14(B14-014)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.			Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
500.5	Port Hope Yacht	43 56 31.4 78 17 29.5	Q	Y	1s	11.3	.....	On building.	Privately maintained by the Port Hope Yacht Club. Year round.		<b>Chart:2053</b>	
500.8	Newcastle Entrance	43 53 43.4 78 34 33.4	F	G	.....	6.2	.....	White cylindrical tower, green upper portion.	Privately maintained by Newcastle Marina. Seasonal.		<b>Chart:2058 Edn 05/11(B11-006)</b>	
501	Port Darlington	On outer end of W. breakwater. 43 53 07.6 78 39 51.6	Fl	G	4s	9.4	6	White cylindrical tower, green upper portion. 7.0	Seasonal.		<b>Chart:2058</b>	
501.2	Oshawa Harbour lighted spar buoy MV4	43 51 44.1 78 49 09	Fl	R	4s	.....	.....	Red spar, marked "MV4".	Year round. (Seasonally maintained.)		<b>Chart:2050 Edn 01/10(B09-026)</b>	
502	Oshawa Harbour range	On outer end of W. pier. 43 51 50.9 78 49 20.8	Iso	G	4s	10.6	8	White cylindrical tower, green upper portion, orange triangular daymark, black vertical stripe. 8.6	Seasonal.			
503		327°18' 319.1m from front.	F	G	.....	18.0	10	White skeleton tower, orange triangular daymark, black vertical stripe. 16.0	Seasonal.		<b>Chart:2050</b>	
503.1	Oshawa Harbour light buoy MV8	43 51 52.4 78 49 17.5	Fl	R	4s	.....	.....	Red spar, marked "MV8".	Privately maintained by Oshawa Harbour Commission. Year round.		<b>Chart:2050</b>	
503.3	Oshawa Harbour light buoy MV12	43 51 57.6 78 49 21.2	Fl	R	4s	.....	.....	Red spar, marked "MV12".	Privately maintained by Oshawa Harbour Commission. Year round.		<b>Chart:2050</b>	
504	Whitby Harbour East Pierhead	On outer end of E. pier. 43 50 59.8 78 55 38.3	Iso	R	2s	10.2	6	White cylindrical tower, orange triangular daymark, black vertical stripe. 6.5	Seasonal.		<b>Chart:2049</b>	
505	Whitby West Breakwater	On S. end of W. breakwater. 43 50 56.2 78 55 41.9	Fl	G	4s	7.0	4	Mast, green, white and black square daymark. 4.0	Seasonal.		<b>Chart:2049</b>	
505.4	Whitby Inner Harbour	On breakwater extension. 43 51 09.5 78 56 00	Fl	G	4s	6.7	3	White cylindrical tower, green upper portion. 4.3	Seasonal.		<b>Chart:2049</b>	

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
505.5	Ajax ODAS light buoy 45159	S. of Richardson Point. 43 46 00 78 59 06	Fl(5) Y	20s	.....	Yellow, marked "45159."	Privately maintained. Seasonal.  Chart:2077 Edn 07/09(B09-065)
505.51	Ajax Groyne SE	On SE. side of entrance. 43 48 22 79 04 11.2	F R	.....	.....	.....	Privately maintained. Seasonal.  Chart:2055 Edn 11/09(B09-109)
505.52	Ajax Groyne SW	On SW. side of entrance. 43 48 22.8 79 04 15.7	F R	.....	.....	.....	Privately maintained. Seasonal.  Chart:2055 Edn 11/09(B09-108)
506	Frenchman's Bay Entrance East	43 48 38.7 79 05 09	Iso R	4s	7.5	6 White cylindrical tower, red upper portion. 5.0	Privately maintained. Seasonal.  Chart:2055 Edn 10/14(B14-017)
506.5	Frenchman's Bay Entrance West	43 48 38.5 79 05 10	F G	.....	7.5	5 White cylindrical tower, green upper portion. 5.1	Privately maintained. Seasonal.  Chart:2055 Edn 09/14(B14-012)
507	Bluffers Park	43 42 26.5 79 13 34.2	F R	.....	9.1	11 White cylindrical tower, red upper portion. 6.7	Seasonal.  Chart:2077
<b>Toronto Harbour</b>							
508	Toronto Harbour Outer Approach lighted spar buoy T1	W. side of approach. 43 36 38.5 79 21 00.8	Fl G	4s	.....	..... Green spar, marked "T1".	Year round. (Seasonally maintained.)  Chart:2085 Edn 01/10(B09-027)
509	Toronto Harbour Outer Approach lighted spar buoy T2	E. side of approach. 43 36 39.7 79 20 46.8	Fl R	4s	.....	..... Red spar, marked "T2".	Year round. (Seasonally maintained.)  Chart:2085 Edn 01/10(B09-028)
509.1	Toronto East Harbour Headland	43 37 03.6 79 19 26.2	Fl R	4s	6.8	..... Red cylindrical mast. 4.1	Maintained by the Toronto Port Authority. Year round.  Chart:2085
509.2	Toronto Harbour Aquatic Park	S. end of park. (East Gap). 43 36 48.7 79 20 36.3	Fl R	10s	22.0	13 White hexagonal tower, red upper portion. 12.0	Emergency light. Maintained by the Toronto Port Authority. Seasonal.  Chart:2085 Edn 10/09(B09-075)
509.25	East Headland North	NW. point of Outer Harbour. 43 37 19.1 79 20 39.3	Q R	1s	6.7	.... Red cylindrical mast. 3.9	Maintained by the Toronto Port Authority. Seasonal.  Chart:2085

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
509.35	Toronto Outer Harbour Keep-Out light buoy	Marking hull of sunken vessel at Outer Harbour east headland. 43 37 45.2 79 20 23.4	Fl Y 4s	.....	.....	White and orange.	Maintained by the Toronto Port Authority. Seasonal.  <b>Chart:2085 Edn 09/10(B10-021)</b>
509.4	Main Harbour Channel lighted spar buoy T4	43 37 28.2 79 20 44.5	Fl R 4s	.....	.....	Red spar, marked "T4".	Year round. (Seasonally maintained.)  <b>Chart:2085 Edn 01/10(B09-029)</b>
509.45	Main Harbour Channel light buoy T5	43 37 42.6 79 20 53.8	Q G 1s	.....	.....	Green, marked "T5".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085 Edn 06/13(B13-009)</b>
509.5	Toronto Harbour lighted spar buoy T8	43 37 54.2 79 20 48.8	Fl R 4s	.....	.....	Red spar, marked "T8".	Year round. (Seasonally maintained.)  <b>Chart:2085 Edn 01/10(B09-030)</b>
509.6	Outer Harbour lighted spar buoy T7	43 37 51.5 79 20 56.4	Q G 1s	.....	.....	Green spar, marked "T7".	Year round. (Seasonally maintained.)  <b>Chart:2085 Edn 01/10(B09-031)</b>
509.61	Toronto East Gap	W. side of Toronto East Gap. 43 37 44.7 79 20 59.4	Fl G 4s	4.7	.....	Cylindrical mast. 3.0	Privately maintained. Seasonal.  <b>Chart:2085</b>
509.7	Toronto Main Harbour Channel range	43 38 05.4 79 20 49.2	Iso R 4s	8.6	8	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.0	Visible in line of range. Seasonal.
509.8		002°15' 140.3m from front.	Iso R 4s	12.9	8	On building, orange triangular daymark, black vertical stripe. 10.9	Visible in line of range. Seasonal.  <b>Chart:2085</b>
510	Toronto Harbour Berth 523	43 38 01 79 20 53.1	Q R 1s	3.5	.....	White cylindrical mast. 1.5	Maintained by the Toronto Port Authority. Year round.  <b>Chart:2085</b>
511	Gibraltar Point lighted spar buoy TE18	SW. of point. 43 36 19.2 79 23 30.3	Fl R 4s	.....	.....	Red spar, marked "TE18".	Year round. (Seasonally maintained.)  <b>Chart:2085 Edn 01/10(B09-032)</b>
513	West Entrance light buoy T	West of Toronto Island 43 37 14.2 79 25 13.3	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "T".	Maintained by Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
513.1	Toronto Harbour Bifurcation light buoy TAB	43 37 34.6 79 24 45.4	Fl G (2+1)	6s	.....	Green, red and green, marked "TAB".	Maintained by the Toronto Port Authority. Seasonal. (In place Year round.)  <b>Chart:2085 Edn 05/11(B11-004)</b>
513.2	Toronto Harbour Bifurcation light buoy TCB	43 37 46.9 79 24 18.7	Fl G (2+1)	6s	.....	Green, red and green, marked "TCB".	Maintained by the Toronto Port Authority. Seasonal. (In place Year round.)  <b>Chart:2085 Edn 05/11(B11-005)</b>
513.5	Western Gap Keep Out light buoy WKO-7	West of Toronto Island. 43 37 38.2 79 24 27.3	Fl Y	4s	.....	White and orange, marked "WKO-7".	Maintained by the Toronto Port Authority. Seasonal.  <b>Chart:2085</b>
513.65	Western Gap Information light buoy WKO-11	West of Toronto Island. 43 37 46.5 79 24 18.5	Fl Y	4s	.....	White and orange, marked "WKO-11".	Maintained by Toronto Port Authority. Seasonal.  <b>Chart:2085</b>
513.7	Western Gap Information light buoy WKO-12	West of Toronto Island. 43 37 34.1 79 24 45.1	Fl Y	4s	.....	White and orange, marked "WKO-12".	Maintained by Toronto Port Authority. Seasonal.  <b>Chart:2085</b>
515	West Entrance light buoy TT3	N. side of Western Gap entrance. 43 37 40.2 79 24 28.8	Fl G	4s	.....	Green, marked "TT3".	Maintained by Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085</b>
517.15	Inner Harbour Information light buoy EKO-15	East of airport. 43 37 59.1 79 22 49.6	Fl Y	4s	.....	White and orange, marked "EKO-15".	Maintained by Toronto Port Authority. Seasonal.  <b>Chart:2085</b>
517.16	Inner Harbour Information light buoy EKO-16	East of airport. 43 38 07 79 22 55.7	Fl Y	4s	.....	White and orange, marked "EKO-16".	Maintained by Toronto Port Authority. Seasonal.  <b>Chart:2085</b>
517.6	Light buoy TT11	43 38 09.8 79 23 34.4	Fl G	4s	.....	Green, marked "TT11".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085</b>
518.1	Light buoy TT12	43 38 05.3 79 23 27.8	Fl R	4s	.....	Red, marked "TT12".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085</b>
518.5	Light buoy TT13	43 38 12.2 79 23 10	Fl G	4s	.....	Green, marked "TT13".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.  <b>Chart:2085</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N. Longitude W.					Height in meters above ground	
518.6	Light buoy TT14	43 38 09.8 79 22 43.2	Q	R	1s	.....	Red, marked "TT14".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.
								<b>Chart:2085</b>
518.63	Toronto Harbour Light buoy TT15	43 38 14.2 79 22 43.4	Fl	G	4s	.....	Green, marked "TT15".	Maintained by the Toronto Port Authority. Seasonal. In place year round.
								<b>Chart:2085 Ed. 12/14(B14-021)</b>
518.7	Toronto Harbour light and bell buoy TF1	43 37 33.7 79 22 35.3	Fl	G	4s	.....	Green, marked "TF1".	Maintained by the Toronto Parks and Property Department. Winter spar. Seasonal.
								<b>Chart:2085</b>
518.8	Inner Harbour light buoy TF2	43 37 32.2 79 22 40.3	Fl	R	4s	.....	Red, marked "TF2".	Maintained by the Toronto Parks and Property Department. Winter spar. Seasonal.
								<b>Chart:2085</b>
519	Royal Canadian Yacht Club Fog Signal	On wharf. 43 37 30.4 79 22 12.6	.....	.....	.....	.....	.....	<b>Horn</b> - Blast 4 s; sil. 26 s. Maintained by the Toronto Port Authority. Seasonal.
								<b>Chart:2085</b>
519.4	Ship Channel South Entrance	S. side of entrance. 43 38 17.3 79 21 11.8	Fl	R	4s	4.2	Block. 2.2	Maintained by the Toronto Port Authority. Seasonal.
								<b>Chart:2085</b>
519.5	Inner Harbour light buoy T13	43 38 08.1 79 21 15.6	Q	G	1s	.....	Green, marked "T13".	Maintained by the Toronto Port Authority. Winter spar. Seasonal.
								<b>Chart:2085</b>
519.6	Humber Park	43 36 43.5 79 28 45	Fl	R	4s	10.3	5 White cylindrical tower, red upper portion. 6.0	Seasonal.
								<b>Chart:2085 Edn 02/11(B11-002)</b>
519.7	Etobicoke Yacht Club	Inside S. end of harbour. 43 36 52.8 79 28 59.7	F	R	.....	7.9	..... White tower, red upper portion. 7.3	Privately maintained. Year round.
								<b>Chart:2085 Edn 01/13</b>
519.8	Lakefront Promenade	On breakwater. 43 33 48.7 79 33 20.7	Q	R	1s	9.6	4 White cylindrical tower, red upper portion. 4.8	Year round.
								<b>Chart:2086</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
521	Port Credit East Breakwater	On outer end of E. breakwater. 43 32 54.8 79 34 28.9	Fl	R	4s	9.7	4	Red mast. 6.7	Seasonal.  <b>Chart:2048</b>
522	Port Credit West Breakwater	On outer end of W. breakwater. 43 32 53.3 79 34 35.5	Fl	G	4s	7.6	4	Green mast. 5.0	Seasonal.  <b>Chart:2048</b>
523	Port Credit East Breakwater Extension	43 32 50.9 79 34 35	Q	R	1s	11.2	4	White cylindrical tower, red upper portion. 5.0	Year round.  <b>Chart:2048</b>
525	Port Credit Inner Harbour	43 32 53.6 79 34 49.5	Fl	R	4s	7.0	4	Red mast. 5.0	Seasonal.  <b>Chart:2048</b>
525.5	Port Credit Inner Channel	43 33 01.5 79 35 12	Fl	W	4s	19.0	.....	White tower, red upper portion.	Visible from 235° through W. to 307°. Maintained by the City of Mississauga. Year round.  <b>Chart:2048</b>
526	Clarkson Refinery Dock range	On outer end of wharf. 43 29 34.2 79 36 09.7	F	G	.....	10.1	.....	.....	Privately maintained. Seasonal.
			F	R	.....	5.2	.....	.....	Privately maintained. Seasonal.
527		338°04' 200.1m from front.	F	G	.....	13.2	.....	.....	Privately maintained. Seasonal.  <b>Chart:2077 Edn 07/12</b>
527.5	Clarkson	43 28 59.7 79 36 33.9	Fl	R	1.5s	8.0	.....	Black mast.	Flash 1 s; eclipse 0.5 s. Maintained by the St. Lawrence Cement Co. Seasonal.  <b>Chart:2077</b>
528	Oakville	On S. end of E. pier. 43 26 22 79 39 55.6	Iso	R	2s	11.6	5	White cylindrical tower, red upper portion. 7.6	Seasonal.  <b>Chart:2077 Edn 01/10(B09-125)</b>
528.5	Lake Ontario Grimsby ODAS light buoy 45139	43 15 32.3 79 32 19.3	Fl(5)	Y	20s	.....	.....	Yellow, marked "45139."	Maintained by Environment Canada. Year round.  <b>Chart:2077 Edn 11/09(B09-106)</b>
529	Bronte Outer	43 23 34.8 79 42 10.9	Iso	R	4s	10.3	5	White cylindrical tower, red upper portion. 6.8	Seasonal.  <b>Chart:2086 Edn 01/10(B09-124)</b>

## INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
530	Bronte	On N. pier near its outer end. 43 23 34.3 79 42 21.1	Fl R 4s	10.2	4	White cylindrical tower, red upper portion. 8.1	Seasonal.  <b>Chart:2070</b>
531	Canada Shell Wharf	On outer end of wharf. 43 22 16.4 79 42 45.2	Fl R 4s	5.5	.....	Structure.	Privately maintained. Seasonal.  <b>Chart:2086</b>
533	Burlington Canal North Pier Outer	On E. end of N. pier. 43 18 06.4 79 47 28.2	Fl R 4s	9.1	3	White cylindrical tower, red upper portion. 7.0	Seasonal.  <b>Chart:2067</b>
534	Burlington Canal North Pier Inner	On W. end of N. pier. 43 17 51.2 79 47 58.1	Fl R 4s	9.7	3	White cylindrical tower, red upper portion. 7.0	Seasonal.  <b>Chart:2067</b>
535	Burlington Canal South Pier Outer	On E end of S. pier. 43 18 03.6 79 47 25.7	Iso Y 6s	14.5	10	White square tower. 13.0	Seasonal.  <b>Chart:2067</b>
537.2	<i>Hamilton Harbour light buoy 1</i>	<i>Entrance to Burlington Canal. 43 17 40.9 79 48 09.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "1".</i>	<i>Privately maintained. Seasonal.</i>  <b>Chart:2067</b>
537.4	Burlington Breakwater South	On S. end of breakwater. 43 17 47.5 79 48 11.5	Q W 1s	4.9	.....	Cylindrical mast.	Maintained by Canada Centre for Inland Waters. Seasonal.  <b>Chart:2067</b>
537.5	<i>Hamilton Harbour light buoy</i>	<i>43 16 22 79 52 10.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green.</i>	<i>Privately maintained by Hamilton Harbour Commission. Seasonal.</i>  <b>Chart:2067</b>
537.6	Burlington Breakwater North	On N. end of breakwater. 43 18 01.4 79 48 20.8	Q W 1s	4.9	.....	Cylindrical mast.	Maintained by Canada Centre for Inland Waters. Seasonal.  <b>Chart:2067</b>
537.7	Hamilton Harbour Pier 25	43 16 22.3 79 47 11.2	Fl G 4s	3.0	.....	Mast.	Maintained by Hamilton Harbour Commission. Seasonal.  <b>Chart:2067</b>
537.71	Hamilton Harbour Pier 23	43 16 09.5 79 47 12.4	Fl R 4s	4.3	.....	White cylindrical mast.	Maintained by Hamilton Harbour Commission. Seasonal.  <b>Chart:2067</b>
537.722	<i>Hamilton Harbour Pier 22 Middle North lighted spar buoy</i>	<i>43 16 27.8 79 47 31.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar.</i>	<i>Privately maintained. Seasonal.</i>  <b>Chart:2067</b>



**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
537.724	Hamilton Harbour Pier 22 South lighted spar buoy	43 16 18 79 47 20.3	Fl R 4s	.....	.....	Red spar.	Privately maintained. Seasonal.  <b>Chart:2067</b>
537.73	Hamilton Harbour Pier 27	North end of pier. 43 17 01 79 47 38.6	Fl G 4s	.....	.....	White cylindrical mast.	Maintained by Hamilton Harbour Commission. Seasonal.  <b>Chart:2067</b>
537.8	Van Wagners Beach	Centre of research platform. 43 16 13.3 79 45 33.3	Fl(5) Y 20s	10.1	.....	Yellow tower.	5 Flashes every 20 s. Privately maintained. Year round.  <b>Chart:2067</b>
537.85	Stoney Creek	43 14 12 79 41 36	Fl G 4s	6.0	.....	Mast.	Privately maintained. Seasonal.  <b>Chart:2077</b>
537.88	Fifty Mile Point West Breakwater	On W. breakwater. 43 13 34.3 79 37 22.6	Fl R 4s	3.0	.....	White cylindrical mast, red and white triangular daymark.	Maintained by Hamilton Conservation Authority. Seasonal.  <b>Chart:2077</b> <b>Edn 10/10(B10-029)</b>
537.9	Fifty Mile Point	43 13 34.7 79 37 20.2	F G	.....	10.9 3	White cylindrical tower, green upper portion. 7.3	Maintained by Hamilton Conservation Authority. Seasonal.  <b>Chart:2077</b> <b>Edn 10/10(B10-028)</b>
538	Grimsby Breakwater	Seaward end of E. breakwater. 43 12 16.9 79 33 01.4	Fl G 4s	9.3	5	White cylindrical tower, green upper portion. 7.2	Seasonal.  <b>Chart:2077</b>
538.2	Grimsby Small Arms Range light buoy WY	43 14 44.6 79 36 08.6	Fl Y 4s	.....	.....	Yellow, marked "WY".	Maintained by DND. Seasonal.  <b>Chart:2077</b>
538.3	Grimsby Small Arms Range light buoy WT	43 14 29.1 79 35 29.4	Fl Y 4s	.....	.....	Yellow, marked "WT".	Maintained by DND. Seasonal.  <b>Chart:2077</b>
538.5	Jordan Harbour	43 11 11.5 79 22 11.2	Iso G 2s	9.1	.....	White cylindrical tower, green upper portion.	Maintained by Beacon Motor Inn. Seasonal.  <b>Chart:2077</b>
539	Port Dalhousie	Near outer end of E. pier. 43 12 39.8 79 15 48.3	Iso W 4s	13.3	6	White square tower, green upper and lower portions. 13.0	Seasonal.  <b>Chart:2044</b>
540.5	Port Dalhousie Marina	On outer end of breakwater. 43 12 33.5 79 15 32.9	Fl R 4s	9.0	4	White cylindrical tower, red upper portion. 5.9	Seasonal.  <b>Chart:2044</b>

**NOTE: For Port Weller Aids see "Welland Canal".**

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
544.6	St. Catharines Outer	43 14 39.6 79 12 27.5	Iso R 2s	8.6	5	White cylindrical tower, red upper portion. 4.8	Seasonal.  <b>Chart:2042 Edn 03/12(B12-001)</b>	
544.7	St. Catharines Breakwater	Outer end of marina breakwater. 43 13 51.2 79 12 39.3	Fl R 4s	13.0	3	White cylindrical tower, red upper portion. 10.6	Seasonal.  <b>Chart:2042</b>	
545	Niagara Bar light buoy 2 (U.S.)	NE. of bar. 43 19 02.4 79 04 14.1	Fl R 4s	.....	.....	Red, marked "2".	Winter spar. Seasonal.  <b>Chart:2043</b>	
547	Niagara light and bell buoy 3 (U.S.)	NW. of Fort Niagara. 43 16 24.3 79 04 30.8	Fl G 4s	.....	.....	Green, marked "3".	Winter spar. Seasonal.  <b>Chart:2043</b>	
548.5	Fort Niagara 5 (U.S.)	On E. band of river. 43 15 42.5 79 03 50	Oc G 4s	24.4	13	Octagonal tower, yellow upper portion.	Year round.  <b>Chart:2043 Edn 03/14(B14-001)</b>	
549	Niagara River range	On Canada Steamship Lines wharf. 43 15 19.5 79 03 43	F R	.....	10.3	11	White tower, red upper portion. 10.4	Visible in line of range. Seasonal.
550		149°19' 211.2m from front.	F R	.....	14.3	11	White tower, red upper portion. 13.8	Visible in line of range. Seasonal.  <b>Chart:2043</b>

**LAKE ONTARIO**

551	Chippawa	N. side of Welland River entrance. 43 03 48 79 02 52	Iso R 2s	4.9	.....	Mast.	Privately maintained by Hydro- Electric Power Commission of Ontario. Year round.  <b>Chart:14832(U.S.)</b>
-----	----------	---	----------	-----	-------	-------	---