

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ST. CLAIR							
708	Light 1 (U.S.)	42 22 01.1 82 53 59.1	Q G	1s	11.3 Mast, green square daymark, green border, marked "1".	Year round. Chart:14853(U.S.)
708.1	Light buoy 2 (U.S.)	42 21 54.3 82 53 52.3	Fl R	4s Red, marked "2".	Winter spar. Seasonal. Chart:14853(U.S.)
708.2	Light buoy 7 (U.S.)	42 23 19.7 82 52 00.3	Fl G	4s Green, marked "7".	Winter spar. Seasonal. Chart:14853(U.S.)
708.3	Light buoy 8 (U.S.)	42 23 14.5 82 51 53	Fl R	4s Red, marked "8".	Winter spar. Seasonal. Chart:14853(U.S.)
708.4	Light buoy 13 (U.S.)	42 24 37.9 82 50 05	Fl G	4s Green, marked "13".	Seasonal. Chart:14853(U.S.)
708.5	Light 14 (U.S.)	42 24 31.6 82 49 57.6	Fl R	4s	9.1	5 Mast, red triangular daymark, red border, marked "14".	Year round. Chart:14853(U.S.)
708.6	Light buoy 17 (U.S.)	42 25 50.1 82 48 17.7	Fl G	4s Green, marked "17".	Seasonal. Chart:14853(U.S.)
708.7	Light buoy 18 (U.S.)	42 25 44.2 82 48 10.6	Fl R	4s Red, marked "18".	Seasonal. Chart:14853(U.S.)
708.8	Light buoy 21 (U.S.)	42 27 00.2 82 46 33.4	Fl G	4s Green, marked "21".	Seasonal. Chart:14853(U.S.)
708.9	Light buoy 22 (U.S.)	42 26 54.5 82 46 26.1	Fl R	4s Red, marked "22".	Seasonal. Chart:14853(U.S.)
709	Lake St. Clair (U.S.) Racon - . (N) X Band	42 27 55.1 82 45 15.4	Iso G	6s	15.9	6 White square skeleton tower.	Year round. Chart:14853(U.S.)
709.2	Light buoy 24 (U.S.)	42 27 48.1 82 45 06	Fl R	4s Red, marked "24".	Seasonal. Chart:14853(U.S.)
709.3	St. Clair Flats Canal range (U.S.)	42 33 01.6 82 39 02.9	F G	13.4 Skeleton tower, white rectangular daymark. 11.0	Visible in line of range. Year round.
709.4		041° 1219.2m from front.	F G	32.9 Structure, white rectangular daymark.	Visible in line of range only. Year round. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ST. CLAIR							
709.7	Light buoy 29 (U.S.)	42 30 36 82 42 02.7	Fl G	4s	Green, marked "29".	Winter spar. Seasonal. Chart:14853(U.S.)
709.8	Lake St. Clair light buoy 30 (U.S.)	42 30 30.7 82 41 54.5	Q R	1s	Red, marked "30".	Year round. Chart:14852(U.S.) Edn 10/12(B12-014)
710	St. Clair Cut-Off Channel Bifurcation light buoy (U.S.)	42 30 58.6 82 41 22.3	Fl G (2+1)	6s	Green, red and green.	Winter spar. Seasonal. Chart:14853(U.S.)
Small Craft Routes							
710.1	Pike Creek	42 19 12.6 82 50 38.9	Fl R	4s	6.1	White mast. Privately maintained by South Port Sailing Club - St. Clair Beach. Seasonal. Chart:14853(U.S.)
710.2	Pike Creek Entrance	E. side of harbour entrance. 42 19 12.2 82 50 35.7	Fl G	4s	6.4	4	White mast, black, green and white square daymark. 5.1 Chart:14850(U.S.)
710.3	Rivière aux Puces	W. side of river entrance. 42 18 13.6 82 46 42.2	Fl R	4s	5.3	4	White mast on piling, red and white triangular daymark. 4.0 Chart:14850(U.S.)
710.5	Rivière aux Puces Port Entrance	E. side of harbour entrance. 42 18 12 82 46 40	Fl G	4s	5.8	4	White mast on piling, green and white square daymark. 5.4 Chart:14850(U.S.)
711	Belle River Pier	42 18 07.3 82 42 32.8	Fl R	5s	9.9	6	White cylindrical tower, red upper portion. 7.2 Privately maintained. Flash 1.5s; eclipse 3.5s. Seasonal. Chart:14850(U.S.) Edn 05/10(B10-012) Edn 07/15(B15-001)
711.2	Ruscom River light buoy	42 18 35 82 37 06	Fl R	4s	Red spar. Privately maintained by Deer Brook Marina. Seasonal. Chart:14850(U.S.)
711.3	Ruscom River light buoy	42 18 35 82 37 05	Fl G	4s	Green spar. Privately maintained by Deer Brook Marina. Seasonal. Chart:14850(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
LAKE ST. CLAIR							
711.5	Thames River light buoy T	42 20 40.6 82 28 37.9	Mo(A) W	6s	Red and white vertical stripes, marked "T".	Seasonal. Chart:14850(U.S.)
711.6	Lake St. Clair ODAS light buoy 45147	42 25 48 82 41 00	Fl(5) Y	20s	Yellow, marked "45147".	Seasonal. Chart:14853(U.S.)
712	Thames River Entrance	42 19 05.5 82 27 12.8	Fl R	5s	6.1	6 Cylindrical mast. 6.3	Flash 1.5s; eclipse 3.5s. Seasonal. Chart:14850(U.S.) Edn 05/10(B10-011)
717	Mitchell Bay Direction	42 27 53 82 24 37.8	F W	9.6	15 White square skeleton tower, orange triangular daymark. 6.7	Visible on a bearing of 106°30'. Seasonal. Chart:14850(U.S.)
718	Mitchell Bay light buoy XM11	42 28 11.6 82 25 52	Fl G	4s	Green, marked "XM11".	Seasonal. Chart:14850(U.S.)
718.5	Ste. Anne Island light buoy XM1	In Mitchell Bay. 42 28 50.3 82 26 07.2	Fl G	4s	Green, marked "XM1".	Seasonal. Chart:14850(U.S.)
719	Martin Island Direction	42 28 28.1 82 27 28	F W	11.4	10 White square skeleton tower, orange triangular daymark. 9.3	Visible on a bearing of 355°. Seasonal. Chart:14850(U.S.)
720	Martin Island Approach light buoy XE2	S. of island. 42 25 36.7 82 27 03.8	Fl R	4s	Red, marked "XE2".	Winter spar. Seasonal. Chart:14850(U.S.)
720.3	Martin Island light buoy XE6	42 27 29.4 82 27 18.5	Fl R	4s	Red, marked "XE6".	Seasonal. Chart:14850(U.S.)
St-Clair Cutoff							
721	Pier X32/2	42 30 54 82 41 08	Fl R	4s	8.2	4 White cylindrical mast, red upper portion, marked "X32/2". 4.9	Year round. (Not maintained over winter.) Chart:14853(U.S.)
721.9	Light Bouy 32	42 30 56.1 82 41 09.4	Q R	1s		Red marked "32"	Seasonal Chart: 14853(É.-U.) Edn. 03/14 (B14-005)
722.5	Lighted spar buoy X34	42 31 09.5 82 40 30.2	Fl R	4s	Red spar, marked "X34".	Seasonal. (In place Year round.) Chart:14853(U.S.)
723	Pier X35	42 31 31.5 82 39 55.9	Fl G	4s	10.0	4 White cylindrical tower, green upper portion, marked "X35". 6.3	Year round. (Not maintained over winter.) Chart:14853(U.S.) Edn 01/10(B09-116)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description		Remarks		
		Latitude N.	Longitude W.					Height in meters above ground	Fog Signals			
LAKE ST. CLAIR												
724	Pier X38	42 31 34.5 82 39 14.7		Fl	R	4s	9.8	4	White square tower, red trim, marked "X38". 6.4	Year round. (Not maintained over winter.)	Chart:14853(U.S.)	
725	Pier X39	42 31 56 82 38 43.6		Fl	G	4s	8.8	4	White cylindrical tower, green upper portion, marked "X39". 6.0	Year round.	Chart:14853(U.S.)	
726.5	<i>Lighted spar buoy X42</i>	42 32 02.3 82 38 02.3		<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "X42".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:14853(U.S.)	
727	Pier X43	42 32 22.5 82 37 30.9		Fl	G	4s	8.8	4	White cylindrical tower, green upper portion, marked "X43". 6.0	Year round. (Not maintained over winter.)	Chart:14853(U.S.)	
728	Pier X44	42 32 13.5 82 37 25.7		Fl	R	4s	7.6	4	White square tower, red trim marked "X44". 5.2	Year round. (Not maintained over winter.)	Chart:14853(U.S.)	
729	Pier X47	42 32 48.1 82 36 19.7		Fl	G	4s	8.8	4	White cylindrical tower, green upper portion, marked "X47". 6.0	Year round. (Not maintained over winter.)	Chart:14853(U.S.)	
730	Pier X48	42 32 39.4 82 36 13.5		Fl	R	4s	7.6	4	White square tower, trim marked "X48". 7.0	Year round. (Not maintained over winter.)	Chart:14853(U.S.)	
730.5	Harsens Island 11 (U.S.)	42 32 59.4 82 35 54.7		Fl	G	4s	8.0	White cylindrical tower, green square daymark, green border, marked "11".	Year round.	Chart:14853(U.S.)	
730.7	<i>St. Clair Cutoff light buoy X50</i>	42 32 56.4 82 35 30		<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red, marked "X50".</i>	<i>Winter spar. Seasonal.</i>	Chart:14853(U.S.)	