

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                               | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                     | Remarks<br>-----<br>Fog Signals                                      |
|----------------------|--|--|--------------------------|--|------------------|--|--|
| <b>LAKE SUPERIOR</b> |  |  |                          |  |                  |  |  |
| 1082                 | Île Parisienne   | On SW. extremity of island.<br>46 38 42.9<br>84 43 26.5                        | FI W                     | 10s  | 16.1             | .....<br>White hexagonal tower, red upper portion.<br>16.6                                   | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Chart:14884(U.S.)</b> |
| 1083                 | Goulais Bay  | On point.<br>46 41 46.3<br>84 31 22.9  | FI W                     | 4s   | 11.7             | .....<br>Cylindrical mast, red and white rectangular daymark, red triangle in centre.<br>5.8 | Seasonal.<br><br><b>Chart:2315</b>                                   |
| 1084                 | Maple Island   | On W. side of island.<br>46 46 07.7<br>84 34 51.9                              | FI W                     | 4s   | 9.5              | .....<br>Square tower, red and white rectangular daymark, red triangle in centre.<br>9.7     | Seasonal.<br><br><b>Chart:14962(U.S.)</b>                            |
| 1087                 | Coppermine Point   | On extremity of point.<br>46 59 02.8<br>84 47 14.7                             | FI W                     | 4s   | 14.4             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>5.5                         | Seasonal.<br><br><b>Chart:2307</b>                                   |
| 1088                 | Mamainse Harbour<br><b>Racon - - (M)<br/>X &amp; S Bands</b> | On N. point of largest island off Mamainse Point.<br>47 02 15.1<br>84 47 11.5  | F R                      | .....                                      | 11.3             | .....<br>Red and white cylindrical tower, red and white triangular daymark.<br>9.1           | Seasonal.<br><br><b>Chart:2315</b>                                   |
| 1089                 | Montréal Point   | On high bluff on point at Montréal River entrance.<br>47 14 27.4<br>84 39 02.4 | FI W                     | 10s  | 39.3             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>8.1                         | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Chart:2307</b>        |
| 1089.5               | Sinclair Island  | SW. side of island.<br>47 22 29.6<br>84 42 33.2                                | FI W                     | 4s   | 16.2             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>5.5                         | Seasonal.<br><br><b>Chart:2315</b>                                   |
| 1090                 | Rowe Island  | At NE. tip of island.<br>47 26 25<br>84 47 36                                  | FI W                     | 4s   | 8.5              | .....<br>Cylindrical mast, red and white rectangular daymark.<br>6.5                         | Seasonal.<br><br><b>Chart:2307</b>                                   |
| 1091                 | Gargantua  | On summit of Gargantua Island.<br>47 33 29.6<br>84 57 48.9                     | FI W                     | 4s   | 24.0             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>5.3                         | Seasonal.<br><br><b>Chart:2315</b>                                   |
| 1092                 | Hursley Island   | 47 35 46<br>85 02 33   | FI W                     | 4s   | 13.6             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>5.5                         | Seasonal.<br><br><b>Chart:2307</b>                                   |
| 1092.5               | Michipicoten River Entrance                                  | 47 55 59.6<br>84 51 06.8   | Iso W                    | 4s   | 5.7              | .....<br>Cylindrical mast.   | Seasonal.<br><br><b>Chart:2315</b>                                   |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|------------------|--|---------------------------------|

**LAKE SUPERIOR**

|                            |                            |  |      |       |      |       |                                |  |
|----------------------------|----------------------------|--|------|-------|------|-------|--------------------------------|--|
| 1093                       | Michipicoten Harbour       | On SE. extremity of Perkwakwia Point.<br>47 56 32.9<br>84 54 26.7                    | FI W | 10s   | 26.8 | ..... | Square tower.<br>12.7          | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Horn</b> - Blast 3 s; sil; 3 s;<br>blast 3 s; sil. 51 s.<br>Horn points 210°.<br><br>Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.<br><br><b>Chart:2315</b> |
| 1094                       | Michipicoten Harbour range | On shore, N. of inner end of wharf.<br>47 57 41.9<br>84 54 04.3                      | F R  | ..... | 12.6 | ..... | Mast.                          | Lights in line lead to Commercial pier.<br>Maintained by Algoma Central Railway.<br>Seasonal.  |
| 1095                       |                            | 355°30' 86.5m from front.  | F R  | ..... | 27.1 | ..... | Mast.                          | Lights in line lead to Commercial pier.<br>Maintained by Algoma Central Railway.<br>Seasonal.<br><br><b>Chart:2315</b>   |
| 1096                       | Caribou Island             | On small island SW. of Caribou Island.<br>47 20 23<br>85 49 32                       | FI W | 10s   | 36.9 | 9     | White hexagonal tower.<br>35.1 | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Chart:2310</b><br><b>Edn 09/14 (D14-010)</b>  |
| <b>Michipicoten Island</b> |                            |  |      |       |      |       |                                |  |
| 1097                       | Michipicoten Island        | On NE. extremity of island.<br>47 45 13.6<br>85 35 48.6                              | FI W | 10s   | 25.6 | ..... | White hexagonal tower.<br>24.3 | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Chart:2309</b>  |
| 1098                       | Davieaux Island            | On summit of island, S. of Québec Harbour, Michipicoten.<br>47 41 40.9<br>85 48 40.6 | FI W | 20s   | 39.3 | ..... | White hexagonal tower.         | Flash 0.5 s; eclipse 19.5 s.<br>Seasonal.<br><br><b>Horn</b> - Blast 3 s; sil. 3 s;<br>blast 3 s; sil. 51 s.<br><br>Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.<br><br><b>Chart:2315</b>                 |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                     | Light<br>Characteristics |          |            | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground            | Remarks<br>-----<br>Fog Signals   |
|----------------------|---|--|--------------------------|----------|------------|--|------------------|---|---|
| <b>LAKE SUPERIOR</b> |   |  |                          |          |            |  |                  |   |   |
| 1099                 | Québec Harbour<br>range                       | On N. shore of<br>harbour.<br>47 43 00.5<br>85 47 54.3               | F                        | R        | .....      | 6.4  | .....            | Skeleton tower, white<br>daymark, orange vertical<br>stripe.        | Visible in line of range.<br>Seasonal.                                      |
| 1100                 |   | 000°51' 214m from<br>front.  | F                        | R        | .....      | 20.1                                       | .....            | Square skeleton tower,<br>white daymark, orange<br>vertical stripe. | Visible in line of range.<br>Seasonal.                                      |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2315</b>   |
| 1101                 | Michipicoten<br>Island, West End              | On small island,<br>SW. of Cotton Cove.<br>47 43 07.1<br>85 57 21.7  | Fl                       | W        | 4s         | 9.1  | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>5.9   | Seasonal.   |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2308</b>   |
| 1102                 | Otter Island                                  | On NW. extremity of<br>island.<br>48 06 42.2<br>86 04 00.1           | Fl                       | W        | 10s        | 29.6                                       | .....            | White hexagonal tower.<br>6.3                                       | Flash 1 s; eclipse 9 s.<br>Seasonal.  |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2308</b>   |
| 1106                 | Hawkins Island                                | SW. of island.<br>48 43 10<br>86 25 54                               | Fl                       | W        | 4s         | 27.1                                       | .....            | Skeleton tower, white<br>slatwork daymark.<br>12.8                  | Seasonal.   |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2306</b>   |
| 1107                 | Skin Island                                   | On SW. corner of<br>island.<br>48 43 41.8<br>86 23 40.8              | Fl                       | W        | 4s         | 13.4                                       | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>4.9   | Seasonal.   |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2306</b>   |
| 1108                 | <i>Slate Island ODAS<br/>light buoy 45136</i> | 48 32 06<br>86 57 12   | <i>Fl(5)</i>             | <i>Y</i> | <i>20s</i> | .....                                      | .....            | <i>Yellow, marked "45136".</i>                                      | <i>Maintained by Environment<br/>Canada.<br/>Winter spar.<br/>Seasonal.</i> |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2303</b>   |
| 1110                 | Jackfish Bay                                  | On SW. extremity of<br>St. Patrick Island.<br>48 47 18.4<br>86 58 55 | Fl                       | W        | 4s         | 12.5                                       | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>5.3   | Seasonal.   |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2305</b>   |
| 1111                 | Slate Islands                                 | On S. extremity of<br>Patterson Island.<br>48 37 16<br>86 59 45      | Fl(2)                    | W        | 15s        | 68.3                                       | .....            | White octagonal tower.<br>10.5                                      | Flash 0.5s; eclipse 4.5 s;<br>flash 0.5.; eclipse 9.5 s.<br>Seasonal.       |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2303</b>   |
| 1111.1               | Terrace Bay                                   | 48 46 08<br>87 07 14   | Fl                       | W        | 4s         | 4.9  | .....            | White cylindrical mast.<br>4.8                                      | Privately maintained by the<br>Township of Terrace Bay.<br>Seasonal.        |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2303</b>   |
| 1112                 | Rosspoint                                     | On wharf.<br>48 50 00.9<br>87 31 11                                  | F                        | R        | .....      | 4.9  | .....            | Cylindrical mast.<br>3.7  | Seasonal.   |
|                      |   |  |                          |          |            |  |                  |   | <b>Chart:2312</b>   |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name                       | Position<br>-----<br>Latitude N.<br>Longitude W.                            | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground                 | Remarks<br>-----<br>Fog Signals  |
|----------------------|----------------------------|---|--------------------------|--|------------------|--|--|
| <b>LAKE SUPERIOR</b> |                            |   |                          |  |                  |  |  |
| 1113                 | Rosspoint Harbour Entrance | On small island at entrance to harbour.<br>48 49 30.2<br>87 31 23.7         | FI W                     | 4s   | 11.3             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>5.6     | Seasonal.<br><br><b>Chart:2312</b>   |
| 1114                 | Rosspoint Point            | On point.<br>48 49 29.9<br>87 32 51.9                                       | FI W                     | 4s   | 8.6              | 5<br>Cylindrical mast, red and white rectangular daymark.<br>6.5         | Seasonal.<br><br><b>Chart:2312<br/>Edn 01/10(D09-050)</b>  |
| <b>Nipigon Bay</b>   |                            |   |                          |  |                  |  |  |
| 1117                 | Battle Island              | On W. end of island.<br>48 45 06.4<br>87 33 26                              | FI(3) W                  | 24s  | 36.0             | .....<br>White octagonal tower.<br>13.1                                  | Flash; eclipse 4 s; flash; eclipse 4 s; flash; eclipse 16 s.<br>Seasonal.<br><br><b>Chart:2312</b> |
| 1120                 | Crichton Island            | At SE. end of island.<br>48 57 07.5<br>88 06 16.4                           | FI W                     | 4s   | 8.1              | 5<br>Cylindrical mast, red and white rectangular daymark.<br>4.9         | Seasonal.<br><br><b>Chart:2312<br/>Edn 01/10(D09-049)</b>  |
| 1121                 | Burnt Island               | 48 54 57.5<br>88 11 46.2  | FI W                     | 4s   | 19.0             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>6.1     | Seasonal.<br><br><b>Chart:2312</b>   |
| 1124                 | Nipigon Strait range       | 48 41 56.4<br>88 06 03.5  | F R                      | .....                                      | 8.3              | .....<br>Cylindrical mast, white daymark, orange vertical stripe.<br>6.3 | Seasonal.  |
| 1125                 |                            | 013°11' 83.2m from front.   | F R                      | .....                                      | 10.4             | .....<br>Cylindrical mast, white daymark, orange vertical stripe.<br>6.3 | Seasonal.<br><br><b>Chart:2312</b>   |
| 1126                 | Lamb Island                | Centre of island.<br>48 36 12.4<br>88 08 34.5                               | FI W                     | 5s   | 30.2             | .....<br>Tower.<br>13.6  | Flash every 5 s.<br>Seasonal.<br><br><b>Chart:2312</b>   |
| 1127                 | Shaganash                  | On W. end of island No. 10, W. of Shaganash Island.<br>48 26 10<br>88 28 50 | FI W                     | 4s   | 11.0             | .....<br>White tower.  | Seasonal.<br><br><b>Chart:2302</b>   |
| 1128                 | Point Porphyry             | On SW. extremity of island, entrance to Black Bay.<br>48 20 24<br>88 38 54  | FI W                     | 10s  | 25.0             | .....<br>White skeleton tower.<br>18.3                                   | Flash 1 s; eclipse 9 s.<br>Seasonal.<br><br><b>Chart:2301</b>                                      |
| 1129                 | Trowbridge Island          | On summit of island.<br>48 17 34<br>88 52 22                                | FI W                     | 5s   | 34.7             | .....<br>White octagonal tower.<br>11.5                                  | Flash every 5 s.<br>Seasonal.<br><br><b>Chart:2311</b>   |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name                                    | Position<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                     | Remarks<br>-----<br>Fog Signals          |
|----------------------|---|---|--------------------------|--|------------------|--|--|
| <b>LAKE SUPERIOR</b> |   |   |                          |  |                  |  |  |
| 1130                 | Angus Island                            | Near N. end of island.<br>48 14 09.5<br>89 00 23.5              | Fl W                     | 10s  | 24.7             | .....<br>Skeleton tower.<br>15.9   | Flash 1 s; eclipse 9 s.<br>Seasonal.     |
|                      |   |   |                          |  |                  |  | <b>Chart:2311</b>                        |
| 1131                 | Thunder Cape                            | W. side of cape.<br>48 18 07<br>88 56 19                        | Fl W                     | 4s   | 10.7             | .....<br>Cylindrical mast, red and white rectangular daymark.<br>6.5                         | Seasonal.                                |
|                      |   |   |                          |  |                  |  | <b>Chart:2311</b>                        |
| 1132                 | Hare Island light buoy A2               | W. of Thunder Cape.<br>48 17 54<br>88 59 12                     | Fl R                     | 4s   | .....            | .....<br>Red spar, marked "A2".  | Seasonal.<br>(In place Year round.)      |
|                      |   |   |                          |  |                  |  | <b>Chart:2311</b>                        |
| 1133                 | Welcome Island                          | On NE. extremity of the eastern island.<br>48 22 10<br>89 07 14 | Fl W                     | 10s  | .....            | .....<br>Skeleton tower.   | Flash 1 s; eclipse 9 s.<br>Seasonal.     |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| <b>Thunder Bay</b>   |   |   |                          |  |                  |  |  |
| 1135                 | Mission Channel Approach light buoy AA4 | 48 21 14.5<br>89 10 33.9  | Fl R                     | 4s   | .....            | .....<br>Red spar, marked "AA4".   | Seasonal.<br>(In place Year round.)      |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| 1136                 | Mission Channel Entrance                | At outer corner of breakwater.<br>48 21 00.5<br>89 12 04        | Fl G                     | 4s   | 13.4             | .....<br>White square tower, red upper portion.<br>7.6.                                      | Flash 0.5 s; eclipse 3.5 s.<br>Seasonal. |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| 1137                 | Mission Channel light buoy A8           | On N. side of channel at entrance.<br>48 21 05.2<br>89 12 01.2  | Fl R                     | 4s   | .....            | .....<br>Red spar, marked "A8".  | Seasonal.<br>(In place Year round.)      |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| 1138                 | Mission River Entrance Breakwater       | On inner end of breakwater.<br>48 21 14<br>89 13 01             | Fl G                     | 4s   | 6.4              | .....<br>Cylindrical mast, red and white rectangular daymark, green square in centre.<br>4.9 | Flash 0.5 s; eclipse 3.5 s.<br>Seasonal. |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| 1139                 | Mission Channel range                   | At mouth of Mission River.<br>48 21 25<br>89 13 33              | F R                      | .....                                      | 11.3             | .....<br>Cylindrical mast, white daymark, red vertical stripe.<br>9.1                        | Visible in line of range.<br>Seasonal.   |
| 1140                 |   | 289°05' 259.1m from front.                                      | F R                      | .....                                      | 17.1             | .....<br>Square skeleton tower, white daymark, red vertical stripe.<br>13.7                  | Seasonal.                                |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |
| 1141                 | Old Dumping Ground Shoal light buoy P2  | NE. of McKellar Island.<br>48 23 08.5<br>89 10 41.7             | Fl R                     | 4s   | .....            | .....<br>Red spar, marked "P2".  | Seasonal.<br>(In place Year round.)      |
|                      |   |   |                          |  |                  |  | <b>Chart:2314</b>                        |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                          | Light<br>Characteristics |   | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                     | Remarks<br>-----<br>Fog Signals                                       |
|----------------------|--|---|--------------------------|---|--|------------------|--|---|
| <b>LAKE SUPERIOR</b> |  |   |                          |   |  |                  |  |   |
| 1143.3               | Kaministiquia<br>River Entrance<br>light buoy D1             | E. side of river<br>entrance.<br>48 23 45.5<br>89 11 57.2                 | Fl                       | G | 4s   | .....            | Green spar, marked "D1".   | Seasonal.<br>(In place Year round.)                                   |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1144                 | Kaministiquia<br>River Entrance                              | On breakwater at N.<br>side of river<br>entrance.<br>48 23 53<br>89 12 00 | Fl                       | R | 10s  | 6.7              | Mast on a building.  | Flash 4 s; eclipse 6 s.<br>Emergency light.<br>Floodlit.<br>Seasonal. |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1144.1               | Kaministiquia<br>River Terminal<br>Entrance light<br>buoy D7 | 48 23 35.5<br>89 12 39.2  | Q                        | G | 1s   | .....            | Green spar, marked "D7".   | Seasonal.<br>(In place Year round.)                                   |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1144.3               | Kaministiquia<br>River Entrance<br>Inner                     | N. side of Old<br>Elevator wharf.<br>48 23 37.5<br>89 12 54.5             | Fl                       | R | 5s   | 7.7              | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>6.1                            | Flash 1 s; eclipse 4 s.<br>Seasonal.                                  |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1144.4               | Kaministiquia<br>River Entrance<br>South                     | 48 23 32<br>89 12 50  | F                        | G | .....                                      | 4.5              | Mast.  | Privately maintained.<br>Year round.                                  |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1145                 | Kaministiquia<br>River                                       | On S. bank of river.<br>48 21 43<br>89 15 22.4                            | Iso                      | G | 8s   | 12.9             | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>6.2                            | Seasonal.   |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1146                 | Kaministiquia<br>River Water Mains<br>Crossing North         | On N. side of river.<br>48 21 47.9<br>89 15 31.7                          | Iso                      | R | 8s   | 10.1             | Cylindrical mast.<br>6.3   | Visible from 285° through N. and E.<br>to 105°.<br>Seasonal.          |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1147                 | Kaministiquia<br>River Water Mains<br>Crossing South         | On S. side of river.<br>48 21 43.3<br>89 15 35.4                          | Iso                      | G | 8s   | 7.9              | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>6.2                            | Seasonal.   |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1150                 | Thunder Bay<br>South Entrance,<br>North                      | On N. side of S.<br>entrance to harbour.<br>48 24 43.5<br>89 12 21        | Fl                       | R | 4s   | 9.4              | Cylindrical mast, red and<br>white rectangular<br>daymark, red triangle in<br>centre.<br>6.1 | Seasonal.   |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1150.3               | Thunder Bay<br>South Entrance,<br>South                      | On breakwater, S.<br>side of S. entrance.<br>48 24 38<br>89 12 18         | Fl                       | G | 5s   | 8.2              | Mast on building.  | Flash 1 s; eclipse 4 s.<br>Floodlit.<br>Seasonal.                     |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |
| 1151                 | Thunder Bay<br>Central Entrance,<br>South                    | On breakwater, S.<br>side of main<br>entrance.<br>48 25 54<br>89 11 52    | Fl                       | G | 4s   | 7.0              | Cylindrical mast, red and<br>white rectangular<br>daymark, green square in<br>centre.<br>5.1 | Floodlit.<br>Seasonal.  |
|                      |  |   |                          |   |  |                  |  | <b>Chart:2314</b>   |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name                                 | Position<br>-----<br>Latitude N.<br>Longitude W.                                 | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nominal<br>Range | Description<br>-----<br>Height in meters<br>above ground                              | Remarks<br>-----<br>Fog Signals  |
|----------------------|--------------------------------------|--|--------------------------|--|------------------|---|--|
| <b>LAKE SUPERIOR</b> |                                      |  |                          |  |                  |   |  |
| 1152                 | <b>Thunder Bay<br/>Main</b>          | On end of<br>breakwater, N. side<br>of Central entrance.<br>48 25 58<br>89 11 45 | Fl R 5s                  | 14.9                                       | 16               | White square tower.<br>9.4  | Flash every 5 s.<br>Floodlit.<br>Seasonal.<br><br><b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s;<br>sil. 3 s; blast 2 s; sil. 48 s.<br><br>Mariners requiring horn to be<br>turned on can activate it clicking<br>radio mike five times within a five<br>(5) second window on channel 19 -<br>156.95 VHF. Horn can be<br>activated with 1 watt power at 3 NM<br>range. Horn will stay activated for<br>30 minutes and can be reactivated<br>as required.<br><br><b>Chart:2314</b> |
| 1153                 | <i>Thunder Bay light<br/>buoy E3</i> | <i>W. of main entrance.<br/>48 25 56<br/>89 12 14.3</i>                          | <i>Q G 1s</i>            | <i>.....</i>                               | <i>.....</i>     | <i>Green spar, marked "E3".</i>   | <i>Seasonal.<br/>(In place Year round.)</i><br><br><b>Chart:2314</b>   |
| 1156                 | Thunder Bay North<br>Entrance South  | Near N. end of S.<br>breakwater.<br>48 26 38<br>89 10 38                         | Fl G 4s                  | 9.4  | .....            | Mast on a building.   | Floodlit.<br>Seasonal.<br><br><b>Chart:2314</b>  |
| 1157                 | Thunder Bay North<br>Entrance North  | Near SW. end of N.<br>breakwater.<br>48 26 42<br>89 10 32                        | Fl R 4s                  | 8.5  | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark, red triangle in<br>centre. | Floodlit.<br>Seasonal.<br><br><b>Chart:2314</b>  |
| 1158                 | Pie Island                           | On point of island.<br>48 13 46<br>89 10 26                                      | Fl W 4s                  | 8.3  | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>6.1                     | Seasonal.<br><br><b>Chart:2311</b>   |
| 1159                 | Mink Point                           | On point.<br>48 08 22<br>89 18 10  | Fl W 4s                  | 9.1  | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.<br>6.1                     | Seasonal.<br><br><b>Chart:2311</b>   |
| 1160                 | Jarvis Rock                          | W. side of Spar<br>Channel.<br>48 06 10<br>89 17 35                              | Fl W 4s                  | 12.2                                       | .....            | Cylindrical mast, red and<br>white rectangular<br>daymark.                            | Seasonal.<br><br><b>Chart:2311</b>   |
| 1161                 | Victoria Island                      | Extremity of point at<br>NW. end of island.<br>48 04 53<br>89 21 37              | Fl W 4s                  | 18.0                                       | .....            | Square tower, two red<br>and white rectangular<br>daymarks.                           | Visible from 022° through E. and S.<br>to 241°.<br>Seasonal.<br><br><b>Chart:2311</b>  |