

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. CLAIR RIVER								
731.2	<i>St. Clair Cutoff light buoy A14</i>	42 33 09 82 35 10	Fl R 4s	Red, marked "A14".	Winter spar. Seasonal. Chart:14853(U.S.)	
732	Squirrel Island range	42 33 11.7 82 34 57.7	Iso Y 2s	9.1	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 8.3	Visible in line of range. Year round.	
733		064°15' 1068.6m from front.	F Y	25.7	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 24.3	Visible in line of range. Year round. Chart:14853(U.S.)
St. Clair Flats Channel								
734	Maybury Highway 10	On S. side of channel opposite highway. 42 33 17.1 82 38 15.3	Fl R 4s	7.2	4	White square tower, red trim, marked "10". 5.6	Year round. (Not maintained over winter.) Chart:14853(U.S.)	
734.5	Light 13 (U.S.)	42 33 28.2 82 37 21.9	F G	7.3	6	Mast, green square daymark, green border, marked "13". Chart:14853(U.S.)	Year round.
736	Southeast Band 16	42 33 00 82 36 50	Fl R 4s	8.0	4	White square tower, red trim, marked "16". 5.4	Year round. (Not maintained over winter.) Chart:14853(U.S.)	
736.5	Light 17 (U.S.)	42 33 02.1 82 36 28.8	Fl G 4s	8.2	4	On 1-pile dolphin, green, white and black square daymark, marked "17". Chart:14853(U.S.)	Year round.	
736.6	<i>Light buoy 15 (U.S.)</i>	42 33 23 82 35 09.3	Fl G 4s	Green, marked "15".	Seasonal. Chart:14853(U.S.)	
736.7	<i>Light buoy 16 (U.S.)</i>	42 33 20.4 82 35 01.3	Fl R 4s	Red, marked "16".	Winter spar. Seasonal. Chart:14853(U.S.)	
736.8	<i>Light buoy 17 (U.S.)</i>	42 33 54.3 82 34 55.1	Fl G 4s	Green, marked "17".	Seasonal. Chart:14853(U.S.)	
737	South Channel A20	S. side of Squirrel Island. 42 33 50.3 82 34 44.6	Q R 1s	10.0	4	White cylindrical tower, red upper portion, marked "A20". 6.5	Year round. (Not maintained over winter.) Chart:14853(U.S.)	
737.5	<i>Light buoy A22</i>	<i>Off Squirrel Island.</i> 42 34 06.5 82 34 29.2	Fl R 4s	Red, marked "A22".	Winter spar. Seasonal. Chart:14853(U.S.)	

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER									
737.6	Harsens Island range (U.S.)	42 34 20.4	F	G	8.2	8	White cylindrical tower. 7.9	Year round.
		82 34 32.9							
737.7		023°30' 160m from front.	F	G	9.5	Cylindrical tower.	Year round.
									Chart:14853(U.S.)
737.8	Grande Pointe 23 (U.S.)	42 35 07.1 82 33 23.5	F	G	8.5	5	On 1-pile dolphin, green square daymark, green border, marked "23".	Year round.
									Chart:14853(U.S.)
738	South Channel light buoy A24	<i>E. side of channel.</i> 42 34 45.1 82 33 32	Fl	R	4s	Red, marked "A24".	Winter spar. Seasonal.
									Chart:14853(U.S.)
739	Light A26	42 35 29.1 82 32 43.3	Q	R	1s	12.0	4	White cylindrical tower, red upper portion, marked "A26". 6.4	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)
739.2	Grande Pointe light buoy 27(U.S.)	42 35 42.6 82 32 43.5	Fl	G	4s	Green, marked "27".	Winter spar. Seasonal.
									Chart:14853(U.S.)
740	Walpole Island light buoy A30	42 36 13.7 82 31 33.1	Fl	R	4s	Red, marked "A30".	Winter spar. Seasonal.
									Chart:14853(U.S.)
740.2	Russell Island (U.S.)	42 36 36.1 82 31 26.3	F	W	8.5	10	Mast, green square daymark, green border.	Green visible from 057° to 237°. Year round.
			F	G		Chart:14853(U.S.)
741	Walpole Island	42 36 15.8 82 31 23.3	F	R	9.9	11	White cylindrical tower, red upper portion. 8.8	Year round.
									Chart:14853(U.S.)
742	Walpole Island, Lower A32	Off NW. corner of wharf. 42 36 42.1 82 31 03.3	Iso	R	4s	10.4	9	White tower, red trim, marked "A32". 9.8	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)
742.5	Russell Island 33 (U.S.)	42 36 48.7 82 31 17.7	F	G	7.9	5	Mast, green square daymark, green border, marked "33".	Year round.
									Chart:14853(U.S.)
743	Walpole Island Ferry Breakwater	Off W. end of breakwater. 42 36 55.5 82 30 56.8	Fl	R	4s	3.4	4	White block structure.	Year round. (Not maintained over winter.)
									Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER							
743.5	Russell Island Shoal light buoy (U.S.)	W. end of shoal. 42 37 20.4 82 31 03.4	Fl (2+1) G	6s	Green, red and green.	Winter spar. Seasonal.
							Chart:14853(U.S.)
744	Walpole Island Upper A34	On E. side of channel. 42 37 19.9 82 30 41.5	Fl R	4s	8.1 4	White square tower, red trim, marked "A34". 5.4	Year round. (Not maintained over winter.)
							Chart:14853(U.S.)
745	Chenal Ecarté Shoal light buoy A36	42 38 12.8 82 30 35.4	Fl R	4s	Red, marked "A36".	Winter spar. Seasonal.
							Chart:14853(U.S.)
746	Chenal Ecarté range	On Walpole Island, southeastward of N. extremity. 42 38 10.1 82 30 07.6	F R	6.9 11	White cylindrical tower, orange triangular daymark, black vertical stripe. 4.7	Visible in line of range. Year round.
747		138°20' 61 m from front.	F R	9.2 11	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.0	Visible in line of range. Year round.
							Chart:14853(U.S.)
747.2	Willow Point (U.S.)	On W. bank of river. 42 38 38.5 82 30 45.7	F G	9.5 8	Mast, green square daymark, green border.	Year round.
							Chart:14853(U.S.)
747.5	Roberts Landing light buoy 37 (U.S.)	42 39 47.2 82 30 48.2	Fl G	4s	Green, marked "37".	Seasonal.
							Chart:14853(U.S.)
747.6	Fawn Island light buoy 38 (U.S.)	42 40 55.9 82 30 11.7	Fl R	4s	Red, marked "38".	Winter spar. Seasonal.
							Chart:14853(U.S.)
748	Marine City Salt Dock (U.S.)	S. of Marine City. 42 41 16.7 82 30 20.6	F G	8.5 8	Mast, green square daymark, green border.	Year round.
							Chart:14853(U.S.)
748.2	Marine City Shoal light buoy 40 (U.S.)	42 42 03.7 82 29 44.9	Fl R	4s	Red, marked "40".	Winter spar. Seasonal.
							Chart:14853(U.S.)
748.3	Fawn Island Upper End light buoy 42 (U.S.)	42 43 12.2 82 29 05.2	Q R	1s	Red, marked "42".	Winter spar. Seasonal.
							Chart:14853(U.S.)
749.1	Stokes Point light buoy A42/2	42 44 05 82 28 47	Fl R	4s	Red, marked "A42/2".	Winter spar. Seasonal.
							Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER									
750	Kessel Point	At mouth of Clay Creek. 42 45 06.7 82 27 56.3	F	Y	10.4	6	White cylindrical ,mast, orange triangular daymark. 8.0	Year round. Chart:14853(U.S.)
751	Recors Point light buoy A44	E. of point. 42 45 41.3 82 27 54.5	Fl	R	4s	Red, marked "A44".	Winter spar. Seasonal. Chart:14853(U.S.)
752	Bowens Creek	Off Recors Point. 42 46 09.5 82 27 49.8	F	Y	9.2	6	White cylindrical tower, red upper portion. 8.6	Year round. Chart:14853(U.S.)
752.2	Harts Landing (U.S.)	42 47 02.7 82 28 27.2	F	G	7.9	8	On 1-pile dolphin, green square daymark, green border.	Year round. Chart:14853(U.S.)
752.5	Harts Landing light buoy A46	E. side of channel. 42 47 15.1 82 28 14.9	Fl	R	4s	Red, marked "A46".	Winter spar. Seasonal. Chart:14853(U.S.)
753	Courtright	On E. side of channel, below Courtright. 42 48 23.1 82 28 42.8	F	Y	6.3	9	Dolphin, white mast on white skeleton structure. 5.1	Year round. (Not maintained over winter.) Chart:14853(U.S.)
753.2	St. Clair Middle Ground light buoy 48 (U.S.)	42 48 51.2 82 28 51.5	Q	R	1s	Red, marked "48".	Winter spar. Seasonal. Chart:14853(U.S.)
753.5	St. Clair Middle Ground light buoy 50 (U.S.)	42 49 25.2 82 28 53.5	Fl	R	4s	Red, marked "50".	Winter spar. Seasonal. Chart:14853(U.S.)
754	St. Clair Middle Ground light buoy 52 (U.S.)	S. end of shoal. 42 49 40 82 28 49.5	Q	R	1s	Red, marked "52".	Winter spar. Seasonal. Chart:14853(U.S.)
756	Mooretown	Near NW. corner of wharf. 42 50 23.8 82 28 02.3	Fl	Y	4s	9.3	8	White cylindrical tower, red upper portion. 8.2	Year round. Chart:14853(U.S.)
757	Middle Ground light buoy A54	42 50 30 82 28 15.5	Q	R	1s	Red, marked "A54".	Winter spar. Seasonal. Chart:14853(U.S.)
757.5	Stag Island Lower light buoy 55 (U.S.)	42 51 10.6 82 28 17.1	Fl	G	4s	Green, marked "55".	Seasonal. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. CLAIR RIVER							
758	Stag Island light buoy AMB	42 51 23 82 28 03.7	Fl R (2+1)	6s	Red, green and red, marked "AMB".	Winter spar. Seasonal. Chart:14853(U.S.)
759	Stag Island Shoal	On S. end of shoal. 42 51 53.3 82 27 59.1	Fl W	4s	7.9	4 White cylindrical tower. 6.9	Year round. (Not maintained over winter.) Chart:14853(U.S. Edn 12/10(B10-031)
760	Stag Island Shoal light buoy 56 (U.S.)	42 52 20.2 82 28 13.9	Fl R	4s	Red, marked "56".	Winter spar. Seasonal. Chart:14853(U.S.)
760.5	Stag Island Middle (U.S.)	42 53 09.4 82 28 31	Oc G	4s	4.9	8 Skeleton tower, green square daymark, green border.	Flash 3 s; eclipse 1 s. Increased intensity on a bearing upstream. Year round. Chart:14853(U.S.)
760.6	Light buoy 58 (U.S.)	42 53 19.9 82 28 14	Fl R	4s	Red, marked "58".	Winter spar. Seasonal. Chart:14853(U.S.)
Stag Island East Channel							
763	Stag Island North End light buoy AM3	W. side of channel. 42 53 45 82 27 33.5	Fl G	4s	Green, marked "AM3".	Winter spar. Seasonal. Chart:14853(U.S.)
764	Stag Island North Cardinal light buoy AM	42 54 19.8 82 27 44	Q W	1s	Black and yellow, marked "AM".	Winter spar. Seasonal. Chart:14853(U.S.)
764.5	Stag Island Upper (U.S.)	42 54 25.1 82 27 57.7	Fl G	2.5s	7.9	7 Mast, green square daymark, green border.	Flash every 2.5 s. Year round. Chart:14853(U.S.)
765	St. Clair River light buoy A60	E. side of channel. 42 55 12.5 82 27 22.5	Fl R	4s	Red, marked "A60".	Winter spar. Seasonal. Chart:14853(U.S.)
Sarnia Bay							
765.2	Sarnia Breakwater light buoy AHB	42 58 31 82 24 36.2	Fl R (2+1)	6s	Red, green and red, marked "AHB".	Winter spar. Seasonal. Chart:14853(U.S.)
765.5	Sarnia Breakwater	Outer end of breakwater. 42 58 45.5 82 24 33.2	Fl G	4s	5.5	4 White cylindrical tower, green upper portion. 3.4	Seasonal. Chart:14853(U.S.)
766	Bay Point light buoy A66	NW. of point. 42 59 21.5 82 25 19.5	Fl R	4s	Red, marked "A66".	Winter spar. Seasonal. Chart:14853(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

ST. CLAIR RIVER

766.4	Fort Gratiot front range(U.S.)	42 59 36.1 82 25 38.4	F G	13.0	White cylindrical tower, red rectangular daymark, white vertical stripe. 13.4	Increased intensity on a bearing 326°. Year round.
766.45	Fort Gratiot range Passing light (U.S.)	42 59 36.1 82 25 38.4	F G	13.0	9	White cylindrical tower. 13.4	Year round.
766.5	Fort Gratiot rear range(U.S.)	207°18' 193.5m from front.	F G	15.9	Octagonal tower, red 17.7	Year round.
766.8	Light buoy A68	42 59 35 82 25 25.2	Q R	1s	Red, marked "A68".	Winter spar. Seasonal.

Chart:14853(U.S.)
Edn 10/14(B14-015; 016)
Edn 11/14(B14018, 020)

Chart:14853(U.S.)