

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. MARYS RIVER									
1059.6	Hay Point range	On the point, St. Joseph Island. 46 07 36.7 83 59 58.8	F	W	13.9	20	White cylindrical tower, white daymark, orange vertical stripe. 12.2	Range has selectable high and low intensity. Activate low with 5 clicks on Channel 19. Return to default high with 7 clicks. Year round.
1059.7		128°37' 329.5m from front.	F	W	22.5	Skeleton tower, white daymark, orange vertical stripe. 20.9	Year round.
1059.8	Everens Point light buoy Q16	NE. of point. 46 14 47.6 84 06 12	Fl	R	4s	Red, marked "Q16".	Winter spar. Seasonal.
Chart:14882(U.S.) Edn 10/09(D09-028,029)									
1060	Sailors Encampment Upbound range	46 15 40.6 84 05 53.6	F	W	19.4	White cylindrical tower, white daymark, orange vertical stripe. 12.6	Year round.
1061		016°56' 671.8m from front.	F	W	35.0	13	Skeleton tower, white daymark, orange vertical stripe. 20.7	Year round.
Chart:14883(U.S.) Edn 10/09(D09-024,025)									
1061.5	Sailors Encampment light buoy Q22	46 15 37 84 06 02.5	Fl	R	4s	Red, marked "Q22".	Winter spar. Seasonal.
Chart:14883(U.S.)									
1062	Rains Wharf range	46 15 15.2 84 05 43	F	W	10	Cylindrical mast, white daymark, orange vertical stripe. 9.6	Year round.
1063		134°56' 267.9m from front.	F	W	16.6	Square tower, white daymark, orange vertical stripe. 13.8	Year round.
Chart:14883(U.S.)									
1063.5	Coyle Point light buoy Q28	46 16 17 84 06 55	Q	R	1s	Red spar, marked "Q28".	Winter spar. Seasonal.
Chart:14883(U.S.)									
1063.6	Coyle Point North light buoy Q30	46 16 52.3 84 06 57.6	Fl	R	4s	Red, marked "Q30".	Seasonal. (In place Year round.)
Chart:14883(U.S.)									
1063.8	Green Point light buoy Q34	46 17 26.8 84 07 01	Fl	R	4s	Red, marked "Q34".	Winter spar. Seasonal.
Chart:14883(U.S.)									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. MARYS RIVER								
1063.9	Munuscong Channel light buoy Q36	46 18 01.3 84 07 03.5	Fl R 4s	Red, marked "Q36".	Winter spar. Seasonal.	
							Chart:14883(U.S.)	
1064	Stribling Point Upbound range	46 18 47.1 84 06 55.4	F W	15.1	12	White cylindrical tower, white daymark, orange vertical stripe. 15.7	Year round.
1065		111°59' 957.4m from front.	F W	26.2	12	White cylindrical tower, white daymark, orange vertical stripe. 11.6	Year round.
							Chart:14883(U.S.) Edn 10/09(D09-026,027)	
1065.5	Birch Point light buoy QV18	S. entrance to Lake George. 46 22 15 84 08 12.5	Fl R 4s	Red spar, marked "QV18".	Seasonal. (In place Year round.)	
							Chart:14883(U.S.)	
1065.7	Pumpkin Point light buoy QX2	SW. of point. 46 23 28 84 08 27	Fl R 4s	Red spar, marked "QX2".	Seasonal. (In place Year round.)	
							Chart:14883(U.S.)	
1065.8	Bellevue Marine light buoy QC1	46 29 45.5 84 18 08.5	Q G 1s	Green spar, marked "QC1".	Seasonal. (In place Year round.)	
							Chart:14883(U.S.)	
1065.9	Bellevue Marine Breakwater	On E. end of breakwater. 46 30 02 84 18 23.7	Iso G 2s	8.0	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.3	Seasonal.	
							Chart:14884(U.S.)	
1066	Bayfield Dyke	On N. side of channel. 46 29 54 84 18 58	Iso R 4s	8.1	6	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.4	Seasonal.	
							Chart:14884(U.S.) Edn 07/12(D12-001)	
1066.2	Bayfield light buoy 108 (U.S.)	46 30 03 84 19 38	Fl R 2.5s	Red, marked "108".	Seasonal.	
							Chart:14884(U.S.)	
1066.4	Bayfield Channel light buoy 110 (U.S.)	Off Can. Soo wharf. 46 30 12 84 19 57	Fl R 4s	Red, marked "110".	Seasonal.	
							Chart:14884(U.S.)	

Sault Ste. Marie

The Canadian canal and approaches are illuminated by two rows of arc lights, one on each side of the canal. The most easterly and the most westerly lights in each row are yellow lights.

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

ST. MARYS RIVER

1070	Canadian Canal, Upper Entrance range	On pier. 46 30 53.1 84 22 17.5	F R	12.3	Square tower, red daymark, white vertical stripe. 10.5	Visible in line of range. Year round.	
1071		050°48' 247.2m from front.	F R	19.1	Square tower, red daymark, white vertical stripe. 16.8	Visible in line of range. Year round.	
Chart:14884(U.S.)									
1072	Upper Turning light buoy QM11	E. side of channel. 46 30 43 84 22 31	Q G	1s	Green, marked "QM11".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1073	Vidal Shoals North light buoy QM14	W. side of channel. 46 30 25 84 23 13	FI R	4s	Red, marked "QM14".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1074	Vidal Shoals Northeast light buoy QM13	E. side of channel. 46 30 29.5 84 22 55.5	FI G	4s	Green, marked "QM13".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1075	Vidal Shoals West light buoy QM24	W. side of channel. 46 30 02 84 23 53	FI R	4s	Red, marked "QM24".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1076	Vidal Shoals West Cardinal light buoy P	E. side of channel. 46 30 06 84 23 35	Q(9) W	15s	Yellow, black and yellow, marked "P".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1076.5	Pointe aux Pins light buoy 10 (U.S.)	46 29 41 84 25 31	FI R	4s	Red, marked "10".	Seasonal.	
Chart:14884(U.S.)									
1076.6	Pointe aux Pins Bay light buoy P12	46 28 45.3 84 27 13.1	FI R	4s	Red, marked "P12".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1076.7	Pointe aux Pins Bay light buoy P14	46 28 22 84 27 52	FI R	4s	Red, marked "P14".	Winter spar. Seasonal.	
Chart:14884(U.S.)									
1077	Pointe aux Pins range	On extremity of Point Louise. 46 28 04 84 28 20	F G	9.1	White tower orange vertical stripe. 9.6	Visible in line of range. Year round.	
1078		233°06' 280.6m from front.	F G	17.6	Steel tower, white daymark, orange vertical stripe. 16.8	Visible in line of range. Year round.	
Chart:14884(U.S.)									
1078.5	Pointe des Chênes light buoy P34	46 27 55 84 33 31	FI R	4s	Red, marked "P34".	Winter spar. Seasonal.	
Chart:14884(U.S.)									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

ST. MARYS RIVER

1079	Pointe aux Pins Main	On outer end of low sand point. 46 27 50.8 84 28 22.3	Iso R	4s	8.2	7	Red and white cylindrical tower.	Year round.	Chart:14884(U.S.) Edn 01/10(D09-048)
1079.5	Point Louise light buoy P20	46 27 40 84 28 44	Fl R	4s	Red, marked "P20".	Winter spar. Seasonal.	Chart:14884(U.S.)
1079.6	Brush Point light buoy P19	SW. of point. 46 27 27 84 28 40	Fl G	4s	Green, marked "P19".	Winter spar. Seasonal.	Chart:14884(U.S.)
1079.7	Cedar Point light buoy P22	N. of point. 46 27 27 84 29 48	Fl R	4s	Red, marked "P22".	Winter spar. Seasonal.	Chart:14884(U.S.)
1080	Sault Ste. Marie Airport Beacon	NE. of Pointe aux Chênes. 46 29 11 84 29 32	Fl W	10s	On top of water tank.	Flash every 10 s. Privately maintained. Seasonal.	Chart:14884(U.S.)
1080.5	Point Iroquois light buoy P38	46 29 10 84 35 06	Fl R	4s	Red, marked "P38".	Winter spar. Seasonal.	Chart:14884(U.S.)
1081	Gros Cap Reefs	On crib, SW. extremity of reefs. 46 30 43.7 84 36 55	Fl W	10s	18.1	9	White tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal.	Chart:14884(U.S.) Edn 09/14(D14-011)